

Table of Contents

Product Line	Page No.
Combines	2
Commercial Front Mowers	8
Hay and Forage – Self-Propelled Bale Wagons/Stack Retrievers	9
Hay and Forage – Self-Propelled Balers	10
Hay and Forage – Self-Propelled Forage Harvesters	11
Hay and Forage – FX Series Self-Propelled Forage Harvesters	12
Hay and Forage – Self Propelled Windrowers	15
Hay and Forage – Self Propelled Speedrowers	16
Highway/Utility	18
Lawn and Garden	30
Skid Steer Loaders	40
Telehandlers	44
Tractors – Ag & Compact — New Holland	45
Tractors – Ag & Compact — Versatile	71
Tractors – Ag & Compact — Bidirectional Tractors	79
Tractors – Ag & Compact — Pre-1965 Tractors	80
BSD Engines	83

LUBRICANT APPLICATION CHART DISCLAIMERS

THE OILS LISTED ARE THOSE WHICH ARE APPROVED FOR THE WIDEST TEMPERATURE RANGES WHICH WOULD TYPICALLY BE ENCOUNTERED DURING A TYPICAL SEASON OF USE. CONSULT THE OPERATOR'S MANUAL FOR RECOMMENDED OILS FOR LOCAL OPERATING CONDITIONS WHICH MAY BE EXTREME DURING CERTAIN SEASONS.

THE OILS LISTED ARE RECOMMENDED WHEN A COMPLETE OIL CHANGE IS DONE. IF OIL IS ADDED AS PART OF NORMAL MAINTENANCE IT IS MANDATORY THAT THE SAME OIL BE USED AS THE LAST TIME THE SYSTEM WAS REFILLED. FOR EXAMPLE, NEVER MIX HYDRODEX 3 ATF AND 134D.

THE OIL CAPACITIES LISTED ARE MAXIMUM CAPACITIES INCLUDING FILTERS, WHERE APPLICABLE, AND PERTAIN TO NEW COMPLETELY DRY VEHICLES. ALWAYS USE THE DIPSTICK TO GAUGE THE PROPER "FULL" LEVEL WHEN REFILLING COMPONENTS DURING SERVICING.

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Trans- mission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
975 Ford Gas Motor	10W-30 8-Qt 8L	SAE 20W 3.5-Gal 13L	—	SAE 90 5.5-Gal 21L	—	—	—
975 Diesel Motor	SAE 20W 2.5-Gal 10L	SAE 20W 3.5-Gal 13L	—	SAE 90 5.5-Gal 21L	—	—	—
980	10W-30 7-Qt 7L	SAE 20W 3.5-Gal 13L	—	SAE 90 5.5-Gal 21L	—	—	—
985 Gas Motor	10W-30 7-Qt 7L	Hydrodex 3 ATF Reservoir 2.5-Gal 10L System 4.3-Gal 16L	—	SAE 90 5.5-Gal 21L	—	—	—
985 Diesel	SAE 20W 3.3-Gal 13L	Hydrodex 3 ATF Reservoir 2.5-Gal 10L System 4.3-Gal 16L	—	SAE 90 5.5-Gal 21L	—	—	—
990	10W-30 7-Qt 7L	SAE 20W 3.5-Gal 13L	—	SAE 90 5.5-Gal 21L	—	—	—
995 Diesel	SAE 20W 3.3-Gal 13L	Hydrodex 3 ATF Reservoir 2.5-Gal 10L System 4.3-Gal 16L	—	SAE 90 5.5-Gal 21L	—	—	—
1400 Gas	10W-20 7-Qt 7L	SAE 20W Reservoir 4-Gal 15L System 6-Gal 23L	10W-30 8-Gal 31L	SAE 90 5.5-Gal 21L	—	—	—
1400 Diesel	SAE 20W 3.8-Gal 14L	Hydrodex 3 ATF Reservoir 4-Gal 15L System 6-Gal 23L	10W-30 8-Gal 31L	SAE 90 5.5-Gal 21L	—	—	—
1500 Gas	10W-40 2.3-Gal 9L	Hydrodex 3 ATF Reservoir 4-Gal 15L System 6-Gal 23L	10W-30 8-Gal 31L	SAE 90 5.5-Gal 21L	—	—	—

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Transmission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
1500 Diesel	SAE 20W 3-Gal 12L	Hydrodex 3 ATF Reservoir 4-Gal 15L System 6-Gal 23L	10W-30 8-Gal 31L	SAE 90 5.5-Gal 21L	—	—	—
CR920 CR940 CR960 CR970	15W-40 6.1-Gal 23L	Included Under Hydrostatic	Mastertrain 13-Gal 50L	Mastertrain Eng. Gear Box 3.5-Gal 13L 80W-90 Traction Gear Box 5-Gal 19L	80W-90 Pinion/Bull Gear 2-Gal 7.9L Planetary 7.1-Qt 6.7L	—	80W-90 Unloading Drive .64-Qt .6L Unloading Tube .32-Qt .3L Bubble Up 2.7-Qt .25L Rotors: LH 3.3-Qt 2.9L RH 3.7-Qt 3.5L RH 2-Speed 4.1-Qt 3.8L
CX840 CX860 CX880	15W-40 6.1-Gal 23L	Included Under Hydrostatic	134D 13-Gal 50L	134D Eng. Gear Box 3.5-Gal 13L 80W-90 Traction Gear Box 5-Gal 19L	80W-90 Pinion/Bull Gear 2-Gal 7.9L Planetary 7.1-Qt 6.7L	—	80W-90 Unloading Drive .64-Qt .6L Unloading Tube .32-Qt .3L Bubble Up 2.7-Qt .25L
TR70 Gas	10W-30 2.3-Gal 9L	10W-30 5-Gal 19L	SAE 10W Reservoir 5-Gal 19L System 7-Gal 27L	SAE 10W 3.8-Gal 14L	80W-90 3-Qt 3L	—	—
TR70 Diesel V-8	20W-40 3-Gal 12L	10W-30 5-Gal 19L	SAE 10W Reservoir 5-Gal 19L System 7-Gal 27L	SAE 10W 3.75-Gal 14L	80W-90 3-Qt 3L	—	—
TR70 Diesel 6-Cyl	SAE 20W 3-Gal 12L	10W-30 5-Gal 19L	SAE 10W Reservoir 5-Gal 19L System 7-Gal 27L	SAE 10W 3.8-Gal 14L	80W-90 3-Qt 3L	—	—

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Transmission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
TR75 6 Cyl Diesel	20W-40 3.5-Gal 13L	SAE 10W 7.8-Gal 30L	Hydrodex 3 ATF Reservoir 6-Gal 23L System 8-Gal 31L	SAE 10W Below SN 304700 80W-90 Above SN 304699 3.8-Gal 14L	80W-90 3-Qt 3L	80W-90 .5-Qt .5L	—
TR75 V-8 Diesel	10W-40 3.5-Gal 13L	SAE 10W 7.8-Gal 30L	Hydrodex 3 ATF Reservoir 6-Gal 23L System 8-Gal 31L	SAE 10W Below SN 304700 80W-90 Above SN 304699 3.8-Gal 14L	80W-90 3-Qt 3L	80W-90 .5-Qt .5L	—
TR85	SAE 10W-40 3.5-Gal 13L	SAE 10W 7.8-Gal 30L	Hydrodex 3 ATF Reservoir 6-Gal 23L System 8-Gal 31L	SAE 10W Below SN 308000 80W-90 Above SN 307999 3.8-Gal 14L	80W-90 3-Qt 3L	80W-90 .5-Qt .5L	—
TR86 w/o reservoir kit s/n 527530 and below	10W-40 3.5-Gal 13L	134D Reservoir 7.8-Gal 30L System 12.5-Gal 47L	Type F ATF Reservoir 6-Gal 23L System 8-Gal 31L	80W-90 3.8-Gal 14L	80W-90 3-Qt 3L	80W-90 .6-Qt .6L	—
TR86 w/ reservoir kit s/n 527530 and below	10W-40 3.5-Gal 13L	134D Reservoir 8.5-Gal 32L System 14.8-Gal 56L	Included in Hyd.	80W-90 3.8-Gal 14L	80W-90 3-Qt 3L	80W-90 .6-Qt .6L	—
TR86 s/n 527531 to 529300 w/o reservoir kit	15W-40 5.3-Gal 20L	134D Reservoir 7.8-Gal 30L System 12.5-Gal 47L	Type F ATF Reservoir 6-Gal 23L System 8-Gal 31L	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .6-Qt .6L	—
TR86 s/n 527531 and above w/ reservoir kit	15W-40 5.3-Gal 20L	134D Reservoir 8.5-Gal 32L System 14.75-Gal 56L	Included in Hyd.	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .6-Qt .6L	—

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Transmission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
TR87	15W-40 SN to 557067 5.3-Gal 19.9L SN 557068 and After 5.8-Gal 22L	134D Reservoir 8.6-Gal 32.6L Entire System 14.7-Gal 55.6L	134D Reel Drive Reservoir 5-Gal 19L Entire System 6-Gal 23L	80W-90 3.8-Gal 14L	80W-90 32 In. Wheel 5-Qt 4.7L 26 In. Wheel 3-Qt 2.8L	80W-90 Torque Hubs .6-Qt .59L	80W-90 Feeder Reverser .5-Qt .5L Rotor Left 2.8-Qt 2.6L Rotor Rt. 1-Spd. 3.6-Qt 3.4L Rotor Rt. 2-Spd. 4-Qt 3.9L Fill To Full Mark On Dipstick
TR88	15W-40 5.3-Gal 19.9L	134D Reservoir 8.6-Gal 32.6L Entire System 14.7-Gal 55.6L	134D Reel Drive Reservoir 5-Gal 19L Entire System 6-Gal 23L	80W-90 3.8-Gal 14L	80W-90 32 In. Wheel 5-Qt 4.7L 26 In. Wheel 3-Qt 2.8L	80W-90 Torque Hubs .6-Qt .6L	80W-90 Feeder Reverser .5-Qt .5L Rotor Left 2.8-Qt 2.6L Rotor Rt. 1-Spd. 3.6-Qt 3.4L Rotor Rt. 2-Spd. 4-Qt 3.9L Fill To Full Mark On Dipstick
TR89	15W-40 5.8-Gal 22L	134D Reservoir 8.6-Gal 32.6L Entire System 14.7-Gal 55.6L	134D Reel Drive Reservoir 5-Gal 19L Entire System 6-Gal 23L	80W-90 3.8-Gal 14L	80W-90 6.3-Qt 6L	80W-90 Torque Hubs .6-Qt .6L	80W-90 Feeder Reverser .5-Qt .5L Rotor Left 2.8-Qt 2.6L Rotor Rt. 1-Spd. 3.6-Qt 3.4L Rotor Rt. 2-Spd. 4-Qt 3.9L Fill To Full Mark On Dipstick
TR95	SAE 10W 4.5-Gal 17L	SAE 10W 9.5-Gal 36L	Type F ATF Reservoir 6-Gal 23L System 10-Gal 38L	SAE 10W Below SN 501201 80W-90 Above SN 501200 2.9-Gal 11L	80W-90 SAE 10W 5-Qt 5L	80W-90 SAE 10W .5-Qt .5L	—

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Transmission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
TR96 s/n 528150 and below w/o reservoir kit	10W-40 4.5-Gal 17L	134D Reservoir 8.5-Gal 32L System 12.8-Gal 49L	Type F ATF Reservoir 6-Gal 23L System 8-Gal 31L	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TR96 s/n 528150 and below w/ reservoir kit	10W-40 4.5-Gal 17L	134D Reservoir 8.5-Gal 32L System 14.8-Gal 56L	Included in Hyd.	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TR96 s/n 528151 and above w/ reservoir kit	15W-40 5.3-Gal 20L	134D Reservoir 8.5-Gal 32L System 14.8-Gal 56L	Included in Hyd.	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TR96 s/n 528151 to 528460 w/o Reservoir kit	15W-40 5.3-Gal 20L	134D Reservoir 8.5-Gal 32L System 12.8-Gal 49L	Type F ATF Reservoir 6-Gal 23L System 8-Gal 31L	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TR97	15W-40 5.3-Gal 20L	134D Reservoir 8.5-Gal 32L System 14.8-Gal 56L	Included in Hyd.	80W-90 3.8-Gal 14L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TR98	15W-40 5.5-Gal 21L	134D Reservoir 8.6-Gal 32.6L Entire System 14.7-Gal 55.6L	134D Reel Drive Reservoir 5-Gal 19L Entire System 6-Gal 23L	80W-90 3.8-Gal 14L	80W-90 5-Qt 4.7L	80W-90 Torque Hubs .6-Qt .6L	80W-90 Feeder Reverser .5-Qt .5L Rotor Left 2.8-Qt 2.6L Rotor Rt. 1-Spd. 3.6-Qt 3.4L Rotor Rt. 2-Spd. 4-Qt 3.9L Fill To Full Mark On Dipstick

Lubricants

Model	Engine	Hydraulics	Hydrostatic	Transmission	Final drive	Power Rear Axle	Gear Box Each
COMBINES							
TR99	15W-40 5.8-Gal 22L	134D Reservoir 8.6-Gal 32.6L Entire System 14.7-Gal 55.6L	134D Reel Drive Reservoir 5-Gal 19L Entire System 6-Gal 23L	80W-90 3.8-Gal 14L	80W-90 6.3-Qt 6L	—	80W-90 Feeder Reverser .5-Qt .5L Rotor Left 2.8-Qt 2.6L Rotor Rt. 1-Spd. 3.6-Qt 3.4L Rotor Rt. 2-Spd. 4-Qt 3.9L Fill To Full Mark On Dipstick
TX36	15W-40 5.3-Gal 20L	134D Reservoir 5.5-Gal 20L System 11-Gal 42L	134D Reservoir 4.8-Gal 18L System 8-Gal 30L	80W-90 4-Gal 15L	80W-90 5-Qt 5L	80W-90 .5-Qt .5L	—
TX66	15W-40 6-Gal 23L	134D Reservoir 5.2-Gal 20L Entire System 8.5-Gal 32.1L	134D Reservoir 4.8-Gal 18L Entire System 8.5-Gal 32L	80W-90 4-Gal 15.1L	80W-90 5.2-Qt 5L EACH Drive	—	80W-90 Chaff Spreader .3-Qt .3L Drum Speed Reducer .9-Qt .8L and GR 75 Grease .3-LB .15KG
TX68	15W-40 7.3-Gal 27.5L	134D Reservoir 5.2-Gal 20L Entire System 8.5-Gal 32.1L	134D Reservoir 4.8-Gal 18L Entire System 8.5-Gal 32L	80W-90 4-Gal 15.1L	80W-90 6.4-Qt 6L EACH Drive	—	80W-90 Chaff Spreader .3-Qt .3L Drum Speed Reducer .9-Qt .8L and GR 75 Grease .3-LB .2KG

Lubricants

Model	Engine Model	Engine Oil	Hydrostatic	Front Axle	Power Rear Axle
COMMERCIAL FRONT MOWERS					
CM222	22HP	15W-40 3.9-Qt 3.7L	134D 4-Gal 15L	134D 4.5-Gal 17L	134D 1.8-Qt 1.7L
CM224	22HP	15W-40 3.9-Qt 3.7L	134D 4-Gal 15L	134D 4.5-Gal 17L	134D 1.8-Qt 1.7L
CM272	27HP	15W-40 4.8-Qt 4.5L	134D 4-Gal 15L	134D 4.5-Gal 17L	134D 1.8-Qt 1.7L
CM274	27HP	15W-40 4.8-Qt 4.5L	134D 4-Gal 15L	134D 4.5-Gal 17L	134D 1.8-Qt 1.7L
MC22	21.5HP	10W-30 3.7-Qt 3.5L		134D Axle and Transmission 5.5-Gal 21L	134D 2.4-Qt 2.3L
MC28	28.0HP	10W-30 6.0-Qt 5.7L		134D Axle and Transmission 5.5-Gal 21L	134D 2.4-Qt 2.3L
MC35	35.0HP	10W-30 6.0-Qt 5.7L		134D Axle and Transmission 5.5-Gal 21L	134D 2.4-Qt 2.3L

Lubricants

Model	Engine	Hydraulic	Differential	Transmission	2 speed Shifter Gear Box
HAY AND FORAGE – SELF-PROPELLED BALE WAGONS/STACK RETRIEVERS					
S1048 S1049 1065	15W-40 2.3-Gal 8.5L	134D 24-Gal 94.6L System 19-Gal 71.5L Reservoir	80W-90 Fill to level of the fill plug.	80W-90 Fill to level of the fill plug.	SAE 10W Fill to level of the fill plug.
1068 1069 1075	15W-40 4.8-Gal 18L	134D 24-Gal 94.6L System 19-Gal 71.5L Reservoir	80W-90 Fill to level of the fill plug.	80W-90 Fill to level of the fill plug.	SAE 10W Fill to level of the fill plug.
1078 1079 1085	15W-40 4.8-Gal 17.9L 1 Filter 5-Gal 18.9L 2 Filters	134D 24-Gal 94.6L System 19-Gal 71.5L Reservoir	80W-90 14-Qt 13.3L	SAE 50 5.3-Qt. 5L	Refer to Service Manual
8500 Round Bale	15W-40 4.8-Gal 18L	134D 24-Gal 94.6L System 19-Gal 71.5L Reservoir	80W-90 Fill to level of the fill plug.	80W-90 Fill to level of the fill plug.	SAE 10W Fill to level of the fill plug.
1052 Stack Retriever	—	134D 8.1-Gal 30.7L Reservoir	—	—	—

Lubricants

Model	Engine	Hydraulic	Transmission/ Differential	Main Drive Gear Box	Feeder Drive Gear Box	Final drives	Power Steering
HAY AND FORAGE – SELF-PROPELLED BALERS							
1283	SAE 30 7-Qt 6.6L	SAE 30 As Required	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	10W-30 As Required
1425	SAE 30 OR 15W-40 7-Qt 6.6L	SAE 10W As Required	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	10W-30 As Required
1426	15W-40 2.1-Gal 8L	SAE 10W 5-Gal 18.9L	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	SAE 90 Fill to level of fill plug	—

Lubricants

Model	Engine	Hydraulic	Trans.	Cutter Head Gear Box	Hydrostat	Transfer Gear Box	Final Drive	Reversing Gear Box	Blower Gear Box	Rear Whl DR Hub
HAY AND FORAGE – SELF-PROPELLED FORAGE HARVESTERS										
1890	SAE 30 3-Gal 11L	134D 2.8-Qt 2.5L	80W-90 fill to plug hole	—	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	80W-90 common w/ trans.	80W-90 3.5-Qt 3.3L	134D 4.4-Qt 4L	80W-90 1.5-Pt .7L	80W-90 1-Pt .5L
1895	SAE 30 7.3-Gal 28L	134D 2.8-Qt 2.5L	80W-90 fill to plug hole	—	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	80W-90 common w/ trans.	80W-90 3.5-Qt 3.3L	134D 4.4-Qt 4L	80W-90 1.5-Pt .7L	80W-90 1-Pt .5L
1900	SAE 30 6.3-Gal 23.7L	134D 4.8-Gal 18L System	80W-90 3.8-Gal 14L	80W-90 4-Qt 3.7L	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	—	80W-90 3-Qt 2.7L	Hydrodex 3 ATF s/n 440385 and below 2.3-Qt 2.2L 80W-90 s/n440386 and above 3-Qt 2.7L	80W-90 1-Qt 1L	80W-90 1-Pt .5L
1915	SAE 30 7.3-Gal 27.5L	134D 4.8-Gal 18L System	80W-90 3.8-Gal 14L	80W-90 4-Qt 3.7L	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	—	80W-90 3-Qt 2.7L	80W-90 3-Qt 2.7L 4.4-Qt 4L	80W-90 1-Qt 1L	80W-90 1-Pt .5L
2100	SAE 30 9-Gal 34L	134D 4.8-Gal 18L System	80W-90 3.8-Gal 14L	80W-90 4-Qt 3.7L	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	80W-90 2-Qt 2L	80W-90 3-Qt 2.7L	Hydrodex 3 ATF s/n 469333 and below 2.3-Qt 2.2L 80W-90 s/n469334 and above 3-Qt 2.7L	80W-90 1-Qt 1L	80W-90 1-Pt .5L
2115	SAE 30 9-Gal 34L	134D 4.8-Gal 18L System	80W-90 3.8-Gal 14L	80W-90 4-Qt 3.7L	Hydrodex 3 ATF 8-Gal 30L System 5-Gal 19L Reservoir	80W-90 2-Qt 2L	80W-90 3-Qt 2.7L	80W-90 3-Qt 2.7L	80W-90 1-Qt 1L	80W-90 1-Pt .5L

Lubricants

Model	Engine	Hydra.- Hydro	Traction Gear Box	Cutter Head Gear Box	Planetary Gear Box	Main Hyd. Clutch	Final Drive Gear Box	Gear Box Hydroloc	Blower Gear Box	Rear Wheel Drive Hub
		Rear Hyd								
HAY AND FORAGE – FX SERIES SELF-PROPELLED FORAGE HARVESTERS										
FX25	15W-40 6-Gal 23L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX28	15W-40 w/13.8L Engine 6-Gal 23L w/10.3L Engine 7.7-Gal 29L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX30	15W-40 7.7-Gal 29L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Each Final Drive 1.06-Qt 1L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Attachment Drive 1.9-Qt 1.8L Hydroloc 7.7-Qt 7.3L	80W-90 1.5-Qt 1.4L High Speed .7-Qt .7L	—
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX38	15W-40 w/13.8L Engine 6-Gal 23L w/12.9L Engine 9.3-Gal 35L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								

Lubricants

Model	Engine	Hydra.- Hydro	Traction Gear Box	Cutter Head Gear Box	Planetary Gear Box	Main Hyd. Clutch	Final Drive Gear Box	Gear Box Hydroloc	Blower Gear Box	Rear Wheel Drive Hub
		Rear Hyd								
HAY AND FORAGE – FX SERIES SELF-PROPELLED FORAGE HARVESTERS										
FX40	15W-40 7.7-Gal 29L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Each Final Drive 1.06-Qt 1L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Attachment Drive 1.9-Qt 1.8L Hydroloc 7.7-Qt 7.3L	80W-90 1.5-Qt 1.4L High Speed .7-Qt .7L	—
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX45	15W-40 6-Gal 23L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX48	15W-40 9.3-Gal 35L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX50	15W-40 9.3-Gal 35L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Each Final Drive 1.1-Qt 1L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Attachment Drive 1.9-Qt 1.8L Hydroloc 7.7-Qt 7.3L	80W-90 1.5-Qt 1.4L High Speed .7-Qt .7L	—
		Reservoir 18.5-Gal 70L System 20-Gal 77L								

Lubricants

Model	Engine	Hydra.- Hydro	Traction Gear Box	Cutter Head Gear Box	Planetary Gear Box	Main Hyd. Clutch	Final Drive Gear Box	Gear Box Hydroloc	Blower Gear Box	Rear Wheel Drive Hub
		Rear Hyd								
HAY AND FORAGE – FX SERIES SELF-PROPELLED FORAGE HARVESTERS										
FX58	15W-40 9-Gal 34L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Reversing 4.2-Qt 4L	80W-90 1.5-Qt 1.4L	80W-90 1.1-Qt 1L
		Reservoir 18.5-Gal 70L System 20-Gal 77L								
FX60	15W-40 9-Gal 34L	134D Reservoir 10-Gal 38L System 25-Gal 93L	80W-90 4-Gal 15L	80W-90 4.5-Gal 4.3L	80W-90 Axle 2.6-Gal 10L Each Final Drive 1.1-Qt 1L Gear Box 1.5-Qt 1.4L	134D Reservoir 7.4-Qt 7L System 2.6-Gal 10L	80W-90 5.3-Qt 5L	80W-90 Attachment Drive 1.9-Qt 1.8L Hydroloc 7.7-Qt 7.3L	80W-90 1.5-Qt 1.4L High Speed .7-Qt .7L	—
		Reservoir 18.5-Gal 70L System 20-Gal 77L								

Lubricants

Models	Engine	Hydraulic	Final Drive Gear box	90 Degree Gear box	Main Header Gear box	Sickle Drive Gear box	Flywheel Gear box
HAY AND FORAGE – SELF PROPELLED WINDROWERS							
1469	15W-40 8-Qt 7.6L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	80W-90 Main Header Gear Box 1-Pt .5L	80W-90 1.5-Qt .7L	—
1495 Gas	15W-40 4.5-Qt 4.3L Governor 3.2-Oz.1L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	—	—	—
1495 DSL	15W-40 2.25-Gal 8.5L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	—	—	—
1495 S/N Higher 430554	15W-40 8-Qt 7.6L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	—	—	—
1496	15W-40 8-Qt 7.6L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	80W-90 Main Header Gear Box 1-Pt .5L	80W-90 1.5-Qt .7L	—
1499	15W-40 3-Gal 11.4L	134D 7-Gal 26.5L	80W-90 2-Qt 1.9L	80W-90 1-Qt .9L	80W-90 Main Header Gear Box 1-Pt .5L	80W-90 1.5-Qt .7L	—
2450 2550	15W-40 4.3-Gal 16.1L	134D 8-Gal 30.3L	80W-90 1.9-Pt .9L	—	134D Brake Housing 1-Pt .47L	—	80W-90 2.5-Qt 2.4L
HW300 HW320	15W-40 w/ filter 4.3-Gal 16.1L	134D 10-Gal 38L	80W-90 .9-Qt .9L	—	—	—	80W-90 2.5-Qt 2.4L
HW340	15W-40 w/ filter 5.5-Gal 21L	134D 10-Gal 38L	80W-90 .9-Qt .9L	—	—	—	80W-90 1.8-Qt 1.7L

Lubricants

Model	Engine	Hydraulic	Final Drives	Conditioner Gear Box	90 Gear Box	Planetary Gear Box	Chain Case	Fuel Inj. Pump
HAY AND FORAGE – SELF PROPELLED SPEEDROWERS								
901	15W-40 VG4D 5-Qt 4.7L V460 7-Qt 6.7L	—	—	—	—	—	—	—
903	15W-40 VG4D 5-Qt 4.7L Ford 5.3-Qt 5L	—	—	—	—	—	—	—
905	15W-40 VG4D 5-Qt 4.7L V461 7-Qt 6.7L Ford 5.3-Qt 5L	—	—	—	—	—	—	—
907	15W-40 V461 7-Qt 6.7L Ford 5.3-Qt 5L	—	—	—	—	—	—	—
909	15W-40 256 Diesel 8-Qt 7.6L Ford 172 5.3-Qt 5L Ford 256 2.3-Gal 8.5L	—	—	—	—	—	—	15W-40 .7-Pt .3L
910	15W-40 2.3-Gal 8.5L	—	SAE 90 5.7-Pt 2.7L	SAE 90 1.5-Pt .7L	SAE 90 1.7-Pt .8L	10W-30 5-Pt 2.5L	SAE 90 3.5-Pt 1.7L	15W-40 .7-Pt .3L
912	15W-40 2.3-Gal 8.5L	—	SAE 90 5.7-Pt 2.7L	SAE 90 1.5-Pt .7L	SAE 90 3-Pt 1.4L	—	—	15W-40 .7-Pt .3L
1100	15W-40 4.5-Qt 4.3L	—	SAE 90 2-Qt 1.9L	—	SAE 90 1-Qt .9L	10W-30 2.5-Qt 2.4L	—	—
1100 Hydrostat	15W-40 Ford Gas 4.5-Qt 4.3L Perkins DSL 8-Qt 7.6L	Hydrodex 3 ATF sn/ 471167 & Below 34D sn/ 471168 & Above 7-Gal 26.5L Add 4-Gal 14.5L for Draper Head	SAE 90 2-Qt 1.9L	—	SAE 90 1-Qt .9L	—	—	—

Lubricants

Model	Engine	Hydraulic	Final Drives	Conditioner Gear Box	90 Gear Box	Planetary Gear Box	Chain Case	Fuel Inj. Pump
HAY AND FORAGE – SELF PROPELLED SPEEDROWERS								
1112	15W-40 2.3-Gal 8.5L	—	SAE 90 5.7-Pt 2.7L	SAE 90 1.5-Pt .7L	SAE 90 3.5-Pt 1.7L	—	—	—
1114	15W-40 2.3-Gal 8.5L	—	SAE 90 2.9-Qt 2.7L	SAE 90 1.5-Pt .7L	SAE 90 3.5-Pt 1.7L	—	—	—
1116	15W-40 2.3-Gal 8.5L	10W-40 SN 328781 & Below 134D SN 328782 & Above 13-Gal 49.2L	80W-90 2.9-Qt 2.7L	80W-90 .6-Qt .6L	80W-90 2.2-Qt 2.1L	—	—	—
1118	15W-40 3-Gal 11.4L	134D 13-Gal 49.2L	80W-90 2.8-Qt 2.7L	80W-90 .6-Qt .6L	80W-90 2.2-Qt 2.1L	—	—	15W-40 .7-Pt .3L In Line Pump Only

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
230A	15W-40 7-Qt 6.6L	134D Common w/ Rear Axle	134D 6.2-Gal 23.3L	134D 3.2-Gal 12L w/ 8X2 2.5-Gal 9.4L w/ 8X4	—	—
231	15W-40 7-Qt 6.6L	134D Common w/ Rear Axle	134D 6.2-Gal 23.3L	134D 3.5-Gal 13L	—	—
233	15W-40 7-Qt 6.6L	134D Common w/ Rear Axle	134D 6.2-Gal 23.3L	134D 3.5-Gal 13L	—	—
250C	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L System	134D 8.5-Gal 32L w/PTO Add 1.9-Qt 1.8L for FWD	134D 4.8-Gal 18L w/8X8 3.2-Gal 12L w/8X2 3-Gal 11.4L w/6X4	134D Case 5.8-Qt 5.5L Hub 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
260C	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L System	134D 8.5-Gal 32L w/PTO Add 1.9-Qt 1.8L for FWD	134D 4.8-Gal 18L w/8X8 3.2-Gal 12L w/8X2 3-Gal 11.4L w/6X4	134D Case 5.8-Qt 5.5L Hub 1.1-Qt 1L per Hub	134D 5-Pt 2.4L
335	15W-40 7-Qt 6.6L	134D 10.5-Gal 39.7L w/LDR 18-Gal 68.1L w/LDR-BH	134D 6.2-Gal 23.3L	134D 3.5-Gal 13L	—	134D 2-Qt 2L
340	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/LDR 18-Gal 68.1L w/LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for Independent PTO	134D 3.2-Gal 12L	—	134D 3-Qt 3L
340A	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/LDR 18-Gal 68.1L w/LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for Independent PTO	134D 3.2-Gal 12L	—	134D 3-Qt 3L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
340B	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/LDR 18-Gal 68.1L w/LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L For IPTO	134D w/8x2 & 6x4 3.2-Gal 12L w/ 4X4 Power Reverse 4.75-Gal 18L	—	134D 3-Qt 3L
345C	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/LDR (System)	134D w/o PTO 8.5-Gal 32L w/ PTO 12-Gal 46L Add 1.9-Qt 1.8L for FWD	134D 3-Gal 11.4L w/ 6X4 4.8-Gal 18L w/ 4X4 & 8X8	134D 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 5-Pt 2.4L
345D SN A442023 AND BELOW	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/LDR (System)	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18L 6X4 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 5-Pt 2.4L
345D SN A442024 AND ABOVE	15W-40 7-Qt 6.6L	134D Complete System 10.5-Gal 39.7L Reservoir 7-Gal 26.5L	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18.0L 8X2 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 5-Pt 2.4L
420	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32.1L Add 3.75-Gal 14L for Independent PTO	134D 3.5-Gal 13L w/ 8X2 & 6X4 4.8-Gal 18L w/ 4X4 power reverse	—	134D 2-Qt 2L
445	15W-40 7-Qt 6.6L	134D 9-Gal 34L w/ LDR 22-Gal 83.3L w/ LDR-BH	134D 8.5-Gal 32.1L Add 3.8-Gal 14L for Independent PTO	134D 3.3-Gal 12L w/ 6X4 & 8X2 4.8-Gal 18L w/ 4X4 power reverse	—	134D 3-Qt 3L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
445A	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/ LDR 22-Gal 83.3L w/ LDR-BH (System)	134D 8.5-Gal 32.1L Add 3.8-Gal 14L for Independent PTO	134D 3.3-Gal 12L w/ 6X4 & 8X2 4.8-Gal 18L w/ 4X4 power reverse	—	134D 3-Qt 3L
445C	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/ LDR (System)	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4.8-Gal 18L w/ 4X4 & 8X8 3-Gal 11.4L w/ 6X4	134D 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
445D SN A442023 AND BELOW	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/LDR (System)	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18L 6X4 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
445D SN A442024 AND ABOVE	15W-40 7.0-Qt 6.6L	134D Complete System 10.5-Gal 39.7L Reservoir 7-Gal 26.5L	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18.0L 8X2 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
450	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/ LDR 22-Gal 83.3L w/ LDR-BH	134D 8.5-Gal 32L	134D 4.8-Gal 18L w/ 4X4	—	—
455	15W-40 7-Qt 6.6L	134D 21-Gal 80L w/ LDR-BH	134D 8.5-Gal 32L	134D 4.8-Gal 18L w/ 4X4 3.2-Gal 12L w/ 6X4	134D 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 3-Qt 2.8L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
455C	15W-40 7-Qt 6.6L	134D 21-Gal 80L w/ LDR-BH	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L Reservoir
455D	15W-40 7-Qt 6.6L	134D 21-Gal 80L w/ LDR-BH	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L Reservoir
515	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.5-Gal 13L w/ 8X2 or 6X4	—	134D 2-Qt 2L
531	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR	134D 6.2-Gal 23.3L	134D 3.5-Gal 13L	—	—
532	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.5-Gal 13L w/ 8X2 or 6X4	—	134D 2-Qt 2L
535	15W-40 7-Qt 6.6L	134D 10.5-Gal 39.7L w/o LDR 18-Gal 68.1L w/ LDR	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.5-Gal 13L w/ 8X2 or 6X4 4.8-Gal 18L w/ 4X4 pwr reverse	—	134D 2-Qt 2L
540	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.2-Gal 12L w/ 6X4 or 8X2 4.8-Gal 18L w/ 4X4 pwr reverse	—	134D 3-Qt 3L
540A	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.2-Gal 12L w/ 6X4 or 8X2 4.8-Gal 18L w/ 4X4 pwr reverse	—	134 3-Qt 3L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
540B	15W-40 7-Qt 6.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.2-Gal 12L w/ 6X4 or 8X2 4.8-Gal 18L w/ 4X4 pwr reverse	—	134D 3-Qt 3L
545	15W-40 7-Qt 6.6L	134D 9-Gal 34L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.2-Gal 12L w/ 6X4 or 8X2 4.8-Gal 18L w/ 4X4 pwr reverse	—	134D 3-Qt 3L
545A	15W-40 7-Qt 6.6L	134D 9.1-Gal 34.4L w/ LDR 22-Gal 83.3L w/ LDR-BH	134D 8.5-Gal 32L Add 3.8-Gal 14L for independent PTO	134D 3.2-Gal 12L w/ 6X4 or 8X2 4.8-Gal 18L w/ 4X4 pwr reverse	—	134D 3-Qt 3L
545C	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/ LDR (System)	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4.8-Gal 18L w/4X4 & 8X8 3-Gal 11.4L w/ 6X4	134D 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
545D SN A442023 AND BELOW	15W-40 7-Qt 6.6L	134D 8.7-Gal 32.9L w/LDR (System)	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18L 6X4 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
545D SN A442024 AND ABOVE	15W-40 7.0-Qt 6.6L	134D Complete System 10.5-Gal 39.7L Reservoir 7-Gal 26.5L	134D 8.5-Gal 32L w/o PTO 12-Gal 46L w/ PTO Add 1.9-Qt 1.8L for FWD	134D 4X4, 8X8 Power Reverse 4.8-Gal 18.0L 8X2 Manual Reverse 3-Gal 11.4L	80W-90 5.8-Qt 5.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
550	15W-40 7-Qt 6.6L	134D 13-Gal 49.2L w/ LDR 21-Gal 79.5L w/ LDR-BH	134D 8.5-Gal 32L	134D 3.8-Gal 14.2L w/6X4 4.8-Gal 18L w/ 4X4 PWR. Reversing	—	134D 2-Qt 1.9L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
555	15W-40 7-Qt 6.6L	134D 13-Gal 49.2L w/ LDR 24-Gal 90.8L w/ LDR-BH	134D 8.5-Gal 32L	134D 12.2-Qt 11.5L w/6X4 4.8-Gal 18L w/ 4X4 PWR. Reversing	—	134D 4-Qt 3.8L
555A	15W-40 7-Qt 6.6L	134D 13-Gal 49.2L w/ LDR 24-Gal 90.8L w/ LDR-BH	134D 8.5-Gal 32L	134D 12.2-Qt 11.5L w/6X4 4.75-Gal 18L w/ 4X4 PWR. Reversing	134D 5.8-Qt 5.5L Case 1.9-Qt 1.7L per Hub	134D 4-Qt 3.8L
555B	15W-40 7-Qt 6.6L	134D 21-Gal 79.5L w/ LDR-BH	134D 8.5-Gal 32L	134D 4.8-Gal 18L w/ 4X4 PWR. Reversing	134D 5.8-Qt 5.5L Case 1.9-Qt 1.7L per Hub	134D 3-Qt 2.8L
555C	15W-40 2.3-Gal 9L	134D 21-Gal 79.5L w/ LDR-BH	134D 10.8-Gal 41L Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L reservoir
555D	15W-40 2.25-Gal 9L	134D 21-Gal 79.5L w/ LDR-BH	134D 10.8-Gal 41L Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L reservoir
555E	15W-40 4.5-Gal 17L	134D Reservoir 28-Gal 106L System 36-Gal 137L	134D 6.5-Gal 24.6L	134D For 2WD, 4 WD, Hydrodex 3 ATF For 2WD & Power Shift 4.5-Gal 17L 4WD 4.75-Gal 18L	134D FWD Axle 6.8-Qt 6.6L Hub Each 1-Qt .9L	—
575D	15W-40 2.3-Gal 9L	134D 21-Gal 79.5L w/ LDR-BH	134D 10.8-Gal 41L Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L reservoir

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
575E	15W-40 4.5-Gal 17L	134D Reservoir 28-Gal 106L System 36-Gal 137L	134D 6.5-Gal 24.6L	134D For 2WD, 4 WD, Hydrex 3 ATF For 2WD & Power Shift 4.5-Gal 17L 4WD 4.8-Gal 18L	134D FWD Axle 6.8-Qt 6.5L Hub Each 1-Qt .9L	—
650	15W-40 2.25-Gal 8.6L	134D 27-Gal 103L w/ LDR 34-Gal 129L LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 3X3	—	134D 2-Qt 1.9L
655A	15W-40 2.3-Gal 8.6L	134D 21-Gal 80L	134D 10.7-Gal 40.6L	134D 4.8-Gal 18L w/4X4 PWR Reverse	134D 5.8-Qt 5.5L Case 1.9-Qt 1.7L per Hub	134D 2.3-Qt 2.1L
655C	15W-40 2.3-Gal 8.6L	134D 21-Gal 80L LDR-BH	134D 10.8-Gal 40.6L Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L reservoir
655D	15W-40 2.3-Gal 8.6L	134D 21-Gal 80L LDR-BH	134D 10.8-Gal 40.6L Add 1.1-Qt 1L for FWD	134D 4.8-Gal 18L	134D 6.9-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2-Qt 1.9L reservoir
655E	15W-40 4.5-Gal 17L	134D Reservoir 28-Gal 106L System 36-Gal 137L	134D 6.5-Gal 24.6L	134D For 2WD, 4 WD, Hydrex 3 ATF For 2WD & Power Shift 4.5-Gal 17L 4WD 4.8-Gal 18L	134D FWD Axle 6.9-Qt 6.5L Hub Each 1.1-Qt 1L	—
675E	15W-40 4.5-Gal 17L	134D Reservoir 28-Gal 106L System 36-Gal 137L	134D 6.5-Gal 24.6L	134D For 2WD, 4 WD, Hydrex 3 ATF For 2WD & Power Shift 4.5-Gal 17L 4WD 4.75-Gal 18L	134D FWD Axle 6.8-Qt 6.5L Hub Each 1.1-Qt 1L	—

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
750	15W-40 2.8-Gal 10.4L	134D 43-Gal 162.5L w/ LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 3X3	—	134D 3.2-Qt 3L
755	15W-40 2.8-Gal 10.4L	134D 43-Gal 162.5L w/ LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 4X4	—	134D 3.2-Qt 3L
755A	15W-40 2.8-Gal 10.4L	134D 43-Gal 162.5L w/ LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 3X3	—	134D 3.2-Qt 3L
755B	15W-40 2.8-Gal 10.4L	134D 43-Gal 162.5L w/ LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L	—	134D 3.2-Qt 3L
2000 Utility	10W-30 5-Qt 5L	134D 8-Qt 7.6L	134D 2.8-Gal 10.4L	134D 6-Qt 6L w/4spd 8-Qt 7.6L w/5spd 2.9-Gal 10.8L w/ select-o-speed	—	—
3400	15W-40 8-Qt 7.6L	134D 10.5-Gal 39.7L w/LDR 18-Gal 68.1L w/ LDR-BH	134D 25.2-Qt 23.9L	134D 6.6-Qt 6.2L w/4X1 7-Qt 6.6L w/4X1 Over/Under 3-Gal 11.4L w/ select-o-speed 3.3-Gal 12.8L w/ 8X2 & 6X4	—	134D 3-Qt 3L (1965-1970) 2-Qt 2L (1970-)
3500	15W-40 8-Qt 7.6L	134D 13-Gal 49.2L w/LDR 20-Gal 75.7L w/LDR-BH	134D 6.3-Gal 23.9L	134D 6.6-Qt 6.2L w/4X1 7-Qt 6.6L w/4X1 Over/Under 3-Gal 11.4L w/select-o-speed 3.3-Gal 12.8L w/ 8X2 & 6X4 4.25-Gal 16L w/4X1 PWR reverse	—	134D 2-Qt 2L

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
3550	15W-40 7-Qt 6.6L	134D 13-Gal 49.2L w/LDR 20-Gal 75.7L w/LDR-BH	134D 8.5-Gal 32.1L	134D 3.5-Gal 13L w/6X4 & 8X2 4.8-Gal 18L w/4X4 power reverse	—	134D 2-Qt 2L
4000 H-D	15W-40 5-Qt 5L	134D 8-Qt 7.6L	134D 2.8-Gal 10.4L	134D 6-Qt 6L w/4 speed 2.9-Gal 10.8L w/select-o-speed	—	134D 5-Qt 5L w/ power package
4400	15W-40 8-Qt 7.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.1-Gal 30.7L w/ IND PTO 8.4-Gal 31.8L w/ trans PTO or less PTO	134D 3.3-Gal 12.5L w/6X4, 8X2, or select- o-speed	—	134D 2-Qt 2L
4500	15W-40 8-Qt 7.6L	134D 11-Gal 41.6L w/ LDR 18-Gal 68.1L w/ LDR-BH	134D 8.1-Gal 30.7L w/ IND PTO 8.4-Gal 31.8L w/ trans PTO or less PTO	134D 3.3-Gal 12.5L w/6X4, 8X2, or select- o-speed 4.3-Gal 16L w/ 4X1 PWR Reverse	—	134D 2-Qt 2L
5500	15W-40 8-Qt 8L	134D 13-Gal 108L w/LDR-BH	134D 8.7-Gal 32.9L	134D 5-Gal 19L w/6X6	—	—
5550	15W-40 2.3-Gal 8.6L	134D 41-Gal 155L w/ LDR-BH	134D 8.7-Gal 32.9L	134D 5-Gal 19L w/6X6	—	—
6500	15W-40 2.3-Gal 8.6L	134D 115-Gal 152L LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 3X3	—	134D 2-Qt 1.9L
7500	15W-40 2.3-Gal 8.6L	134D 43-Gal 162.5L w/ LDR-BH	134D 9.9-Gal 37.5L	134D 7-Gal 26.5L w/ 3X3	—	134D 3.2-Qt 3L
A62 Wheel LDR	15W-40 4.8-Gal 17.9L	134D 40.5-Gal 151.4L Reservoir 50-Gal 190L System	134D 7-Gal 26.5L per axle	134D 8.5-Gal 26.1L w/ allison	—	common w/ Hyd.

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
A64 Wheel LDR	15W-40 6.5-Gal 24.6L	134D 50-Gal 190L Reservoir 62-Gal 234.7L System	134D 9-Gal 34L FRT axle 7-Gal 26.5L RR axle	134D 8.5-Gal 26.1L w/ allison	—	common w/ Hyd.
A66 Wheel LDR	15W-40 6.5-Gal 24.6L	134D 50-Gal 190L Reservoir 62-Gal 234.7L System	134D 9-Gal 34L per axle	134D 8.5-Gal 26.1L w/ allison	—	common w/ Hyd.
CL20 SSL	15W-40 3.5-Qt 3.3L	134D 6-Gal 22.7L Reservoir 7-Gal 26.5L System	—	common with Hyd.	—	—
CL25 SSL	15W-40 3.6-Qt 3.5L	134D 12-Gal 46L Reservoir 15-Gal 56.8L System	—	134D 2.5-Gal 9L final drives	—	—
CL30 SSL	15W-40 4-Qt 3.8L	134D 8-Gal 30.3L Reservoir 14-Gal 53L System	—	common with Hyd.	—	—
CL35 SSL	15W-40 4-Qt 3.8L Gas 5.3-Qt 5L DSL	134D 8-Gal 30.3L Reservoir 10.8-Gal 40.9L System	—	134D 6-Qt 5.7L final drives	—	—
CL40 SSL	15W-40 3.5-Qt 3.3L	134D 8-Gal 30.3L Reservoir 14-Gal 53L System	—	common with Hyd.	—	—
CL45 SSL	15W-40 2.625-Gal 10L	134D 10.8-Gal 40.9L	—	134D 6-Qt 5.7L final drives	—	—
CL55 SSL	15W-40 2.6-Gal 10L	134D 13.5-Gal 51.1L	—	134D 3-Gal 11L final drives	—	—

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
CL65 SSL	15W-40 3.2-Gal 12L	134D 13.5-Gal 51.1L	—	134D 3.5-Gal 14L final drives	—	—
CL340 SSL	15W-40 4-Qt 3.8L	134D 8-Gal 30.3L Reservoir 14-Gal 53L System	—	common with Hyd.	—	—
H48 Excavator	15W-40 6.5-Gal 24.6L	134D 74-Gal 281L System 42.5-Gal 160L Reservoir	—	common with Hyd.	—	—
LB75 Loader/ Backhoe	15W-40 4.4-Gal 17L	134D 36-Gal 137L	134D Not FWS 5.8-Gal 22L 4WS 2.7-Gal 10L	134D Power Shuttle 2WD 4.4-Gal 17L 4WD 4.7-Gal 18L Hydrex 3 ATF Power- Shift 4.2-Gal 18L	—	—
LB75.B Loader/ Backhoe	15W-40 4.4-Gal 17L	134D 36-Gal 137L	134D Not FWS 5.8-Gal 22L 4WS 2.7-Gal 10L	134D Power Shuttle 2WD 4.4-Gal 17L 4WD 4.7-Gal 18L Hydrex 3 ATF Power- Shift 4.2-Gal 18L	—	—
LB90 Loader/ Backhoe	15W-40 4.4-Gal 17L	134D 36-Gal 137L	134D Not FWS 5.8-Gal 22L 4WS 2.7-Gal 10L	134D Power Shuttle 2WD 4.4-Gal 17L 4WD 4.7-Gal 18L Hydrex 3 ATF Power-Shift 4.2-Gal 18L	—	—

Lubricants

Model	Engine	Hydraulic	Rear Axle	Transmission	Front Axle & Differential Case	Power Steering
HIGHWAY/UTILITY						
LB110 Loader/Backhoe	15W-40 4.4-Gal 17L	134D 36-Gal 137L	134D Not FWS 5.8-Gal 22L 4WS 2.7-Gal 10L	134D Power Shuttle 2WD 4.4-Gal 17L 4WD 4.7-Gal 18L Hydrodex 3 ATF Power-Shift 4.2-Gal 18L	—	—
LB115 Loader/Backhoe	15W-40 4.4-Gal 17L	134D 36.6-Gal 137L Total System 28-Gal 106L Reservoir	134D 2.9-Gal 11L	Hydrodex 3 ATF 4.5-Gal 17L	—	—
LB115.B Loader/Backhoe	15W-40 4.4-Gal 17L	134D 36-Gal 137L	134D Not FWS 5.8-Gal 22L 4WS 2.7-Gal 10L	134D Power Shuttle 2WD 4.4-Gal 17L 4WD 4.7-Gal 18L Hydrodex 3 ATF Power-Shift 4.2-Gal 18L	—	—
LB620 Loader/Backhoe	15W-40 6-Qt 5.7L	134D 25-Gal 94.6L	—	—	—	—
T220 Trencher	SAE 30 2-Qt 1.9L	10W-30 HST Trans., Diff., Lift 3.5-Qt 3.3L	In Hydraulic	In Hydraulic	In Hydraulic	—
T330 Trencher	SAE 30 3.5-Qt 3.3L	10W-30 9-Gal 34.1L	—	—	—	—
T550 Trencher	SAE 30 5-Qt 4.7L	SAE 10 13-Gal 49.2L	—	—	—	—

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
GT18	1998	Gas - Kohler Model# CH18S-62579 2-Cylinder 18HP	10W-30 2.1-Qt 2L	10W-30 Total System 6.0-Qt 5.7L Refill 4.5-Qt 4.3L
GT20	Model 716498006- T8AE0001 Thru 716498016-T0AB0001 And Above	Gas - Kohler Model# CH20S-62583 2-Cylinder 20HP	10W-30 1.9-Qt 1.8L	10W-30 Total System 7-Qt 6.6L Refill 4.5-Qt 4.3L
GT20	Model 716498026- T1AB0001 And Above	Gas - Kohler Model# CH20S-62583 2-Cylinder 20HP	10W-30 1.9-Qt 1.8L	10W-30 Total System 6-Qt 5.7L Refill 4.5-Qt 4.3L
GT20A	2004	Gas - Kohler Model# CH20S-62583 2-Cylinder 20HP	10W-30 2.1-Qt 2L	10W-30 Total System 6-Qt 5.7L Refill 4.5-Qt 4.3L
GT22	1998	Gas - Kohler Model# CH22S-66545 2-Cylinder 22HP	10W-30 2.1-Qt 2L	10W-30 Total System w/o Powersteering 6-Qt 5.7L w/Powersteering 7-Qt 6.6L Refill 4.5-Qt 4.3L
GT22A	2004	Gas - Kohler Model# CH22S-66545 2-Cylinder 22HP	10W-30 2.1-Qt 2L	10W-30 Total System 7-Qt 6.6L Refill 4.5-Qt 4.3L
GT65	1992	Diesel - ISM Model# E643 14 HP (Gross) 37.7 CID	15W-40 3.2-Qt 3L	134D w/o Power Steering 9.1-Qt 8.6L w/ Power Steering 10.1-Qt 9.6L

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
GT75	1992	Diesel - ISM Model# E673 16 HP (Gross) 41.3 CID	15W-40 3.2-Qt 3L	134D w/o Power Steering 9.1-Qt 8.6L w/ Power Steering 10.1-Qt 9.6L
GT85	1992	Gas - Kohler Model# M18Q5 18 HP (Gross) 42.2 CID	15W-40 2-Qt 1.9L	134D w/o Power Steering 9.1-Qt 8.6L w/ Power Steering 10.1-Qt 9.6L
GT95	1992	Gas - Kohler Model# M20Q5 20 HP (Gross) 47 CID	15W-40 2-Qt 1.9L	134D w/o Power Steering 9.1-Qt 8.6L w/ Power Steering 10.1-Qt 9.6L
LGT12	1984/1985	Gas - Kohler Model# K301AQS 12 HP	10W-30 2-Qt 1.9L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LGT12H	1984/1985	Gas - Kohler Model# K301AQS 12 HP	10W-30 2-Qt 1.9L	SAW 20W Hydrostatic transmission and differential assembly are filled to capacity (6-Qt) from factory. No routine servicing is required
LGT14	1985/1988	Gas - Kohler Model# KOH14AQS 14 HP	10W-30 2-Qt 1.9L	SAE 20W Transaxle - is permanently filled to capacity (2-Qt) from factory. No routine servicing is required
LGT14D	1987	Diesel - ISM Model# E643 14 HP (Gross)	10W-30 3.2-Qt 3L	134D 9.1-Qt 8.6L
LGT14H	1985/1988	Gas - Kohler Model# KOH14AQS 14 HP	10W-30 2-Qt 1.9L	SAE 20W Hydrostatic transmission and differential assembly are filled to capacity (6-Qt) from factory. No routine servicing is required
LGT16D	1989/1991	Diesel - ISM Model# E673 16 HP (Gross)	10W-30 3.2-Qt 3L	134D 9.1-Qt 8.6L

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
LGT17	1984/1985	Gas - Kohler Model# KOH KT17QS 17 HP	10W-30 1.5-QT 1.4L	SAE 20W Transaxle - is permanently filled to capacity (2-Qt) from factory. No routine servicing is required
LGT17H	1984/1985	Gas - Kohler Model# KOH KT17QS 17 HP	10W-30 1.5-QT 1.4L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT18H	1985	Gas - Kohler Model# KOH M18QS 18 HP	10W-30 1.5-QT 1.4L	SAE 20W Hydrostatic transmission and differential assembly are filled to capacity (6-Qt) from factory. No routine servicing is required
LGT100	1965/1976	Gas - Kohler Model# K241AS 10 HP	10W-30 2.3-QT 2.2L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LGT100	1977/1983	Gas - Kohler Model# K241AQS 10 HP	10W-30 1.5-QT 1.4L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LGT120	1965/1976	Gas - Kohler Model# K301AS 12 HP	10W-30 2.3-QT 2.2L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LGT120	1977/1983	Gas - Kohler Model# K301AQS 12 HP	10W-30 1.5-QT 1.4L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LGT125	1966/1976	Gas - Kohler Model# K301AS 12 HP	10W-30 2.3-QT 2.2L	SAE 90 Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT125	1977/1983	Gas - Kohler Model# K301AQS 12 HP	10W-30 1.5-QT 1.4L	SAE 90 Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
LGT140	1965/1976	Gas - Kohler Model# K321S 14 HP	10W-30 2-Qt 1.9L	SAE 20W Transaxle - is permanently filled to capacity (2-Qt) from factory. No routine servicing is required
LGT140	1977/1983	Gas - Kohler Model# K321AS 14 HP	10W-30 2-Qt 1.9L	SAE 20W Transaxle - is permanently filled to capacity (2-Qt) from factory. No routine servicing is required
LGT145	1966/1976	Gas - Kohler Model# K321AS 14 HP	10W-30 2.3-Qt 2.2L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT145	1977/1983	Gas - Kohler Model# K321AQS 14 HP	10W-30 1.5-Qt 1.4L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT165	1966/1976	Gas - Kohler Model# K341AS 16 HP	10W-30 2.2-Qt 2.2L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT165	1977/1983	Gas - Kohler Model# K341AQS 16 HP	10W-30 1.5-QT 1.4L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LGT195	1977/1980	Gas - Kohler Model# K532QS Quiet Plus 19.9 HP	10W-30 2-Qt 1.9L	134D Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LS25	1994	Gas - Kohler Model# CV 12.5S—1 Cyl. 12.5 HP	10W-30 2-QT 1.9L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
LS35	1994	Gas - Kohler Model# CV 14S—1 Cyl. 14 HP	10W-30 2-Qt 1.9L	SAE 20W Hydrostatic transmission and differential assembly are filled to capacity (2.5 pints) from factory for life of tractor
LS45	1994	Gas - Kohler Model# CV 16S—2 Cyl. 16 HP	10W-30 2-Qt 1.9L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LS45	1994	Gas - Kohler Model# CV 16S—2 Cyl. 16 HP	10W-30 2-Qt 1.9L	SAE 20W Hydrostatic transmission and differential assembly are filled to capacity (2.5 pints) from factory for life of tractor
LS55	1994	Gas - Kohler Model# CV 18S—2 Cyl. 18 HP	10W-30 2-Qt 1.9L	SAE 20W Hydrostatic transmission and differential assembly are filled to capacity (2.5 pints) from factory for life of tractor
LT8	1984/1989	Gas - B&S Model# 193707-0137 1984/1986 Model# 191707-2168 1987/1989 8 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT10	1990	Gas - B&S Model# 256707-0121 10 HP	10W-30 1.4-QT 1.3L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT10A	1992	Gas - B&S Model# 256707-0136 10 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT11	1984/1986	Gas - B&S Model# 256707-0132 11 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
LT11H	1984/1986	Gas - B&S Model# 252707-0680 1984 Model# 253707-0132 1985/1986 11 HP	10W-30 1.5-QT 1.4L	SAE 90 Hydrostatic transmission - Bring oil level to lower edge of oil level access hole.
LT12	1987/1990	Gas - B&S Model# 281707-0130 12 HP	10W-30 1.3-QT 1.2L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT12.5A	1991	Gas - B&S Model# 286707-0111 12.5 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT70	1967/1976	Gas - B&S Model# 170707 7 HP	10W-30 1.1-QT 1L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT75	1967/1976	Gas - B&S Model# 170707 7 HP	10W-30 1.1-QT 1L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT80	1977/1981	Gas - B&S Model# 191707 8 HP	10W-30 1.1-QT 1L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT81	1982/1984	Gas - B&S Model# 191707 8 HP	10W-30 1.1-QT 1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
LT85	1977/1981	Gas - B&S Model# 191707 8 HP	10W-30 1.4-QT 1.3L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT100	1977/1981	Gas - B&S Model# 251707 10 HP	10W-30 1.2-QT 1.15L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT110	1977/1981	Gas - B&S Model# 252707 11 HP	10W-30 1.2-QT 1.15L	SAE 90 Transaxle - Bring oil level to lower edge of filler hole
LT111	1982/1984	Gas - B&S Model# 252707 11 HP	10W-30 1.2-QT 1.15L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
MY16	2004	Gas - Kohler Command 1-Cylinder 16 HP	10W-30 2-Qt 1.9L	No Maintenance Required
MY17	2004	Gas - Kawasaki 2-Cylinder 17 HP	10W-30 1.8-Qt 1.7L	No Maintenance Required
MY19	2004	Gas - Kawasaki 2-Cylinder 19 HP	10W-30 1.8-Qt 1.7L	No Maintenance Required
MZ14H	2004	Gas - B & S 1-Cylinder 14 HP	Synthetic 5W-30/10W-30 1.5-Qt. 1.4L	No Maintenance Required
MZ16H	2004	Gas - B & S 1-Cylinder 16 HP	Synthetic 5W-30/10W-30 1.8-Qt. 1.7L	No Maintenance Required
MZ18H	2004	Gas - B & S 1-Cylinder 18 HP	Synthetic 5W-30/10W-30 1.8-Qt. 1.7L	No Maintenance Required
MZ19H	2004	Gas - Kawasaki 2-Cylinder 19 HP	10W-30 1.8-Qt. 1.7L	No Maintenance Required
R8	1984/1989	Gas - B & S Model# 191702-2139 1984/1988 Model# 191702-0351 1989 8 HP	10W-30 1.5-Qt 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
R8E	1984	Gas - B & S Model# 191702-2140 1984/1988 Model# 191707-0351 1989 8 HP	10W-30 1.5-Qt 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
R11	1984/1986	Gas - B & S Model# 252707-0674 1984 Model# 253707-0173 1985/1986 11 HP	10W-30 1.5-Qt 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
R12	1987	Gas - B & S Model# 281707-0131 12 HP, I/C	10W-30 1.5-Qt 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
R60	1970/1972	Gas - B & S Model# 170702 7 HP	10W-30 1.2-Qt 1.1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
R61	1973/1976	Gas - B & S Model# 190702 8 HP	10W-30 1.2-Qt 1.1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
R1130	1980/1983	Gas - B & S Model# 252707 11 HP	10W-30 1.5-Qt 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT50	1970/1972	Gas - B & S Model# 130902 5 HP	10W-30 .85-Qt .8L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT51	1973/1976	Gas - B & S Model# 130902 5 HP	10W-30 .85-Qt .8L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT65	1970/1972	Gas - B & S Model# 170705 7 HP	10W-30 1.2-Qt 1.1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT66	1973/1976	Gas - B & S Model# 190705 8 HP	10W-30 1.2-Qt 1.1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT526	1976/1979	Gas - B & S Model# 130902 5 HP	10W-30 .85-Qt .8L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
RMT830	1980/1983	Gas - B & S Model# 190702 8 HP	10W-30 1.2-Qt 1.1L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
YT12.5	1987/1990	Gas - B&S Model# 404707-0124 12.5 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
YT12.5	1990	Gas - Kohler Model# CV12.5S 12.5 HP	10W-30 2-QT 1.9L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
YT14	1991/1992	Gas - Kohler Command/1 Model# CV14S 14 HP	10W-30 2-QT 1.9L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
YT16	1984/1989	Gas - B&S Model# 402707-0161 1984/1986 Model# 402707-0183 1987/1989 16 HP	10W-30 1.5-QT 1.4L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
YT16	1990/1992	Gas - Kohler Magnum/2 Model# MV16S 16 HP	10W-30 2-QT 1.9L	Transaxle - Permanently sealed at factory. Under normal operation no servicing required.
YT16H	1984/1989	Gas - B&S Model# 402707-0161 1984/1986 Model# 402707-0183 1987/1989 16 HP	10W-30 1.5-QT 1.4L	SAE 20W Hydrostatic Transmission-Bring oil level to COLD level mark on reservoir.
YT16H	1990/1991	Gas - Kohler Magnum/2 Model# MV16S 16 HP	10W-30 2-QT 1.9L	Hydrostatic Transmission - Permanently sealed at factory. Under normal operation no servicing required.
YT16H	1992/1993	Gas - Kohler Magnum/2 Model# MV16S 16 HP	10W-30 2-QT 1.9L	Hydrostatic Transmission - Permanently sealed at factory. Under normal operation no servicing required.

Lubricants

Model	Year	Engine Model	Engine Oil	Transaxle/hydro Transmission Capacity
LAWN AND GARDEN				
YT18H	1989	Gas - B&S Model# 422777-1231 18 HP	10W-30 2-QT 1.9L	Hydrostatic Transmission and Differential Assembly - filled to capacity (6-Qt) from factory for life of the tractor.
YT18H	1990/1993	Gas - Kohler Magnum/2 Model# MV18S 18 HP	10W-30 2-QT 1.9L	Hydrostatic Transmission and Differential Assembly - filled to capacity (6-Qt) from factory for life of the tractor.

Lubricants

Model	Engine	Hydraulics	Chain Case Each	Gear Box Each
SKID STEER LOADERS				
L35	SAE 30 37HP VG4D 5-Qt 4.7L 465D 6-Qt 5.7L	10W-40 w/Vickers 134D w/Cessna 12-Gal 45L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L225	SAE 30 3.5-Qt 3.3L	Included in Chain Case	134D 15-Gal 56.8L	—
L250	10W-30 1.7-Qt 1.6L	Included in Chain Case	10W-30 9-Gal 34L	—
L255	10W-30 3.2-Qt 3L	Included in Chain Case	10W-30 9-Gal 34L	—
L325	SAE 30 Kohler 3.5-Qt 3.3L WISCONSIN 4-Qt 3.8L	Included in Chain Case	134D 15-Gal 56.8L	—
L425	SAE 30 4-Qt 3.8L	Included in Chain Case	134D 15-Gal 56.8L	—
L445	SAE 30 4-Qt 3.8L	Included in Chain Case	134D 15-Gal 56.8L	—
L451	10W-30 3.7-Qt 3.5L	Included in Chain Case	134D 15-Gal 56.8L	—
L452	10W-30 4-Qt 3.8L	Included in Chain Case	134D 15-Gal 56.8L	—
L454	10W-30 5-Qt 4.7L	Included in Chain Case	134D 15-Gal 56.8L	—
L454 Ford Motor	10W-30 3.5-Qt 3.3L	Included in Chain Case	134D 15-Gal 56.8L	—
L455	10W-30 7-Qt 6.7L	Included in Chain Case	134D 15-Gal 56.8L	—
L464	10W-30 3.5-Qt 3.3L	10W-30 5-Gal 18.9L	10W-30 6-Qt 5.7L	—
L465	10W-30 Prior to S/N 15105 5-Qt 4.5L S/N 15105 to 848450 6-Qt 5.7L	10W-30 5-Gal 18.9L	10W-30 6-Qt 5.7L	—
L553	SAE 20W 2.4-Gal 9L	Included in Chain Case	134D 17-Gal 64.3L	—
L554(C)	10W-30 6-Qt 5.7L	Included in Chain Case	134D 17-Gal 64.3L	—

Lubricants

Model	Engine	Hydraulics	Chain Case Each	Gear Box Each
SKID STEER LOADERS				
L555 Kubota motor	SAE 20W 2.4-Gal 9L	Included in Chain Case	134D 17-Gal 64.3L	—
L555 Perkins motor	SAE 20W 6-Qt 5.7L	Included in Chain Case	134D 17-Gal 64.3L	—
L565	10W-30 Prior to SN 31280 7-Qt 6.7L SN 31280 to 850720 8-Qt 7.6L	10W-30 6-Gal 22.7L	10W-30 8-Qt 7.6L	80W-90 Final Drive 1-Qt 1L
L600	15W-40 6-Qt 5.7L	134D 25-Gal 94.6L	SAE 90 Fill to Bottom of Check Plug Hole	80W-90 Final Drive Fill to Bottom of Check Plug Hole Add 4-Oz 120ML of LS Additive when Equipped w/LS Differential
L775 Deutz motor	SAE 40 2.4-Gal 9.0L	10W-40 w/Vickers 134D w/Cessna 12-Gal 45.4L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L775 WIS motor	SAE30 6-Qt 5.7L	10W-40 w/Vickers 134D w/Cessna 12-Gal 45.4L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L778	10W-30 8-Qt 7.6L	134D 12-Gal 45.4L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L779 Perkins Motor	10W-30 6-Qt 5.7L	134D 12-Gal 45.4L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L779 Ford motor	10W-30 4.5-Qt 4.3L	134D 12-Gal 45.4L	80W-90 2.5-Gal 9.5L	80W-90 Final Drive 1.3-Pt .6L
L781	SAE 30 2.4-Gal 9.0L	Included in Chain Case	134D 22-Gal 83.3L	—
L783 3 Cyl	10W-30 7-Qt 6.7L	Included in Chain Case	134D 22-Gal 83.3L	—
L783 4 Cyl	10W-30 6-Qt 5.7L	Included in Chain Case	134D 22-Gal 83.3L	—
L784	10W-30 5.2-Qt 5L	Included in Chain Case	134D 22-Gal 83.3L	—
L785	10W-30 7-Qt 6.7L	Included in Chain Case	134D 22-Gal 83.3L	—

Lubricants

Model	Engine	Hydraulics	Chain Case Each	Gear Box Each
SKID STEER LOADERS				
L865	10W-30 7-Qt 6.7L	10W-30 6.5-Gal 23.5L	10W-30 For Units w/o Common Final Drive Gear Boxes and Chain Cases 8-Qt 7.6L	80W-90 For Units w/Common Final Drive Gear Boxes & Chain Cases 3-Gal 11.2L 10W-30 For Final Drive Gear Boxes on Units w/o Common Final Drive Gear Boxes and Chain Cases 3.8-Qt 3.6L Engine Gear Box 1.5-Qt 1.4L
LS120	10W-30 1.8-Qt 1.7L	Included in Chain Case	10W-30 9-Gal 34.1L	—
LS125	10W-30 3.2-Qt 3L	Included in Chain Case	10W-30 9-Gal 34.1L	—
LS140 LS150	10W-30 6-Qt 5.7L	10W-30 5-Gal 18.9L	10W-30 6-Qt 5.7L	—
LS160 LS170	10W-30 2.2-Gal 8.3L	10W-30 3.9-Gal 14.8L	10W-30 7.2-Qt 6.8L per side	10W-30 Final Drive 1-Qt 1L per Box
LS180	10W-30 7-Qt 6.6L	10W-30 11.3-Gal 42.6L	80W-90 Common Gear Box & Final Drive 2.4-Gal 9.1L per Side	80W-90 Engine 1.4-Qt 1.3L
LS190	10W-30 2.9-Gal 10.9L	10W-30 11.3-Gal 42.6L	80W-90 Common Gear Box & Final Drive 3-Gal 11.4L each	80W-90 Engine 1.5-Qt 1.4L
Lx465	10W-30 Prior to SN 15105 5-Qt 4.5L SN 15105 to 848450 6-Qt 5.7L	10W-30 5-Gal 18.9L	10W-30 6-Qt 5.7L	—
Lx485	10W-30 Prior to SN 28052 5-Qt 4.5L SN 28052 to 87100 6-Qt 5.7L	10W-30 5-Gal 18.9L	10W-30 5-Qt 5.7L	—

Lubricants

Model	Engine	Hydraulics	Chain Case Each	Gear Box Each
SKID STEER LOADERS				
Lx565	10W-30 Prior to SN 40191 7-Qt 6.7L SN 40191 to 847450 8-Qt 7.6L	10W-30 6-Gal 22.7L	10W-30 8-Qt 7.6L Final Drive per Side	80W-90 Final Drive 1-Qt 1L per Box
Lx565 High Flow	10W-30 Prior to SN 40216 7-Qt 6.7L SN 40216 to 847450 8-Qt 7.6L	10W-30 6-Gal 22.7L	10W-30 8-Qt 7.6L Final Drive per Side	80W-90 Final Drive 1-Qt 1L per Box
Lx665	10W-30 Prior to SN 66997 7-Qt 6.7L SN 66997 to 847650 8-Qt 7.6L	10W-30 6-Gal 22.7L	10W-30 8-Qt 7.6L Final Drive per Side	80W-90 Final Drive 1-Qt 1L per Box
Lx665 High Flow	10W-30 Prior to SN 67012 7-Qt 6.7L SN 67012 to 847650 8-Qt 7.6L	10W-30 6-Gal 22.7L	10W-30 8-Qt 7.6L Final Drive per side	80W-90 Final Drive 1-Qt 1L per Box
Lx865 Lx885	10W-30 7-Qt 6.7L	10W-30 6.5-Gal 25.5L	10W-30 For Units w/o Common Final Drive Gear Boxes and Chain Cases 8-Qt 7.6L	80W-90 For Units w/Common Final Drive Gear Boxes & Chain Cases 2.95-Gal 11.2L 10W-30 For Final Drive Gear Boxes on Units w/o Common Final Drive Gear Boxes and Chain Cases 3.8-Qt 3.6L Engine Gear Box 1.5-Qt 1.4L
Lx985	10W-30 3.6-Gal 13.6L	10W-30 10.25-Gal 38.8L	80W-90 Common Gear Box & Final Drive Chain Case 3-Gal 11.2L each	80W-90 Engine Gear Box 1.5-Qt 1.4L

Lubricants

Model	Engine	Transmission	Frt & Rear Axle	Axle Hubs Each	Loader Hydra	Gear Box Each
TELEHANDLERS						
LM430 LM640	15W40 8-Qt 7.6L	134D 2.8-Gal 10.5L	134D 2.3-Gal 8.5L	80W-90 1.1-Qt 1L	134D 33-Gal 125L	80W-90 Transfer Box .6-Qt .6L
LM415A LM435A LM445A	15W-40 3.6-Gal 13.6L	Hydrodex 3 ATF 2.9-Gal 11L	20W-30 2.3-Gal 8.5L	80W-90 1.1-Qt 1L	Hydrosystem 46 33-Gal 125L	80W-90 Transfer Box .6-Qt .6L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
1000	15W-40 5.3-Qt 5L	134D 5.3-Gal 19.8L Hyd. Separate	Included in Rear Axle	—	134D Tractor Hydraulics 2.6-Gal 10L
1100	15W-40 3.2-Qt 3L	134D 5-Gal 18.9L	Included in Rear Axle	134D 1.6-Qt 1.5L Case .2-Qt .2L per Hub	—
1110	15W-40 3.5-Qt 3.3L	134D 4.3-Gal 16.1L w/o HST 3.8-Gal 14.5L w/ HST 4.5-Gal 17L w/o HST (1987-1988) 4.1-Gal 15.5L w/HST (1987-1988)	Included in Rear Axle	134D 1.9-Qt 1.8L	—
1120	15W-40 3.5-Qt 3.3L	134D 4.2-Gal 16L	Included in Rear Axle	134D 1.9-Qt 1.8L	134D 1.9-Qt 1.8L
1200	15W-40 3.8-Qt 3.6L	134D 5-Gal 18.9L	Included in Rear Axle	134D 1.6-Qt 1.5L Case .2-Qt .2L per Hub	—
1210	15W-40 3.5-Qt 3.3L	134D 4.25-Gal 16.1L w/o HST 3.8-Gal 14.5L w/ HST 4.5-Gal 17L w/o HST (1987-1988) 4.1-Gal 15.5L w/HST (1987-1988)	Included in Rear Axle	134D 1.9-Qt 1.8L	—
1215 1220	15W-40 3.5-Qt 3.3L	134D 4.2-Gal 16L	Included in Rear Axle	134D 1.9-Qt 1.8L	134D 1.9-Qt 1.8L
1300	15W-40 3.7-Qt 3.5L	134D 5.3-Gal 20L	Included in Rear Axle	134D 1.6-Qt 1.5L Case .2-Qt .2L per Hub	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
1310	15W-40 3.5-Qt 3.3L	134D 5.8-Gal 22L 7.2-Gal 26L (1987-1988)	Included in Rear Axle	134D 3.2-Qt 3L	—
1320	15W-40 4.8-Qt 4.5L	134D 5.8-Gal 22L	Included in Rear Axle	134D 2.6-Qt 2.5L	134D 1.9-Qt 1.8L
1500	15W-40 4.2-Qt 4L	134D 5.3-Gal 20L	Included in Rear Axle	134D 2.5-Qt 2.4L Case .2-Qt .2L per Hub	134D Oil Bath Air Cleaner .5-Qt .4L
1510	15W-40 4.2-Qt 4L	134D 5.8-Gal 22L	Included in Rear Axle	134D 3.2-Qt 3L	—
1520	15W-40 4.8-Qt 4.5L	134D 5.8-Gal 22L	Included in Rear Axle	134D 3.2-Qt 3L	134D 1.9-Qt 1.8L
1530	15W-40 4.8-Qt 4.5L	134D Gear 9.3-Gal 35.2L HST 7.5-Gal 28.4L	Included in Rear Axle	134D Case 1.5-Qt 1.4L Hub Each .9-Qt .8L	134D 1.7-Qt 1.6L
1600	15W-40 5.3-Qt 5L	134D 5.3-Gal 19.8L Hyd. Separate	Included in Rear Axle	—	134D Tractor Hyd. 2.6-Gal 10L
1620	15W-40 4.8-Qt 4.5L	134D 5.8-Gal 22L	Included in Rear Axle	134D 3.2-Qt 3L	134D 1.9-Qt 1.8L
1630	15W-40 4.8-Qt 4.5L	134D Gear 9.3-Gal 35.2L HST 7.5-Gal 28.4L	Included in Rear Axle	134D Case 1.5-Qt 1.4L Hub Each .9-Qt .8L	134D 1.7-Qt 1.6L
1700	15W-40 5.3-Qt 5L	134D 5.8-Gal 22L	Included in Rear Axle	134D 2.5-Qt 2.4L Case .2-Qt .2L per Hub	—
1710	15W-40 5.3-Qt 5L	134D 6.9-Gal 26L	Included in Rear Axle	134D 4.2-Qt 4L	—
1710 Offset	15W-40 5.6-Qt 5.3L	134D 8.5-Gal 32L	Included in Rear Axle	134D 2.5-Qt 2.4L Case	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
1715	15W-40 4.8-Qt 4.5L	134D 5.8-Gal 22L	Included in Rear Axle	134D 3.2-Qt 3L	134D 1.9-Qt 1.8L
1720	15W-40 4.8-Qt 4.5L	134D 7.1-Gal 27L	Included in Rear Axle	134D 5.3-Qt 5L	134D 1.9-Qt 1.8L
1900	15W-40 6.7-Qt 6.3L	134D 6.4-Gal 24L	Included in Rear Axle	134D 2.5-Qt 2.4L Case .2-Qt .2L per Hub	—
1910	15W-40 6.9-Qt 6.5L	134D 7.4-Gal 28L	Included in Rear Axle	134D 5.3-Qt 5L	—
1920	15W-40 6.3-Qt 6L	134D 7.7-Gal 29L	Included in Rear Axle	134D 5.3-Qt 5L	134D 1.9-Qt 1.8L
2000 post 1964	15W-40 8-Qt 8L	134D 6.3-Gal 24L	134D 6.6-Qt 6.2L w/4X1 7-Qt 6.6L w/4X1 O/U 3.3-Gal 13L w/8X2	—	134D 3-Qt 3L (1965-1968) 2-Qt 2L (1968-1975)
2110 (138 CID 4 CYL)	15W-40 8-Qt 7.5L	134D 8.6-Gal 32.2L	Included in Rear Axle	134D 6.4-Qt 6L Case .8-Qt .7L per Hub	—
2110 (158 CID GAS/ DIESEL)	15W-40 8-Qt 8L	134D 6.3-Gal 24L	134D 6.6-Qt 6.2L w/4X1 7-Qt 6.6L w/4X1 O/U 3.3-Gal 13L w/8X2 2.8-Gal 11L w/ select-o-speed	—	134D 3-Qt 3L (1965-1968) 2-Qt 2L (1968-1975)
2120	15W-40 2.1-Gal 8L	134D 8.7-Gal 33L	Included in Rear Axle	134D 4.4-Qt 4.2L	134D 1.9-Qt 1.8L
2310	15W-40 7-Qt 6.6L	134D 6.2-Gal 23.3L	134D 3.1-Gal 11.5L	—	134D 1.9-Qt 1.8L
2600	15W-40 7-Qt 6.6L	134D 6.2-Gal 23.3L	134D 3.5-Gal 13L	—	134D 2-Qt 2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
2610	15W-40 7-Qt 6.6L	134D 6.2-Gal 23.3L	134D 2.5-Gal 9.4L w/8X4 3.1-Gal 11.5L w/8X2	—	134D 1.9-Qt 1.8L
2810	15W-40 7-Qt 6.6L	134D 12.1-Gal 45.7L	134D 2.475-Gal 9.4L w/8X4 3.05-Gal 11.5L w/8X2	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 1.9-Qt 1.8L
2910	15W-40 7-Qt 6.6L	134D 6.2-Gal 23.3L (1965-1983) 12.1-Gal 45.7L (1981-) Add 1.5-Qt 1.4L for FWD	134D 2.5-Gal 9.4L w/8X4 Add 3.3-Qt 3L for Creeper 3.1-Gal 11.5L w/8X2	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 1.9-Qt 1.8L
3000	15W-40 8-Qt 8L	134D 6.3-Gal 24L (1965-1983)	134D 6.6-Qt 6.2L w/4X1 7-Qt 6.6L w/4X1 O/U 3.3-Gal 13L w/8X2 2.8-Gal 11L w/ select-o-speed (1965-1975)	—	134D 3-Qt 3L (1965-1968) 2-Qt 2L (1968-1975)
3010S	15W-40 2.4-Gal 9L	134D 2WD Axle 8.5-Gal 32L Hubs Each 1.8-Qt 1.7L 4WD Axle 34.9-Qt 33.1L Hubs Each 3.7-Qt 3.5L	Included in Rear Axle	134D Axle 5.8-Qt 5.5L Hubs (each) 1.3-Qt 1.2L	134D 2.1-Qt 2.0L
3230	15W-40 7-Qt 6.6L	134D 12-Gal 45.7L Add 1.5-Qt 1.4L for FWD	134D 3.2-Gal 12L w/8X2 Add 3.3-Qt 3L for Creeper	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
3415	15W-40 6.3-Qt 6L	134D 8.7-Gal 33L	Included in Rear Axle	—	134D 1.9-Qt 1.8L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
3430	15W-40 7-Qt 6.6L	134D 12-Gal 45.7L w/8X2 8.5-Gal 32.5L w/ 8X8 8.5-Gal 32.5L w/ 16X8 add 1.5-Qt 1.4L for FWA	134D 3.2-Gal 12L w/8X2 2.5-Gal 9.4L w/8X8 2.2-Gal 8.4L w/16X8 add 3.3-Qt 3L for creeper	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
3600	15W-40 7-Qt 6.6L	134D 6.3-Gal 24L	134D 3.5-Gal 13L w/ 6 or 8 speed	—	134D 2-Qt 2L
3610	15W-40 7-Qt 6.6L	134D 6.3-Gal 24L	134D 2.5-Gal 10L w/ 8X4 3.3-Gal 12L w/ 8X2	—	134D 2.3-Qt 2.2L
3830 (NARROW ORCHARD TRACTOR)	15W-40 7.6-Qt 7.3L	134D 2WD 8.3-Gal 31.5L 4WD 8.5-Gal 32.1L	Included in Rear Axle	134D Axle 4.4-Qt 4.5L Each Final Drive .4-Qt .5L	134D .4-Gal 1.6L
3830 (165 CID)	15W-40 8-Qt 7.3L	134D 6.6-Gal 25L Incl. Trans.	Included in Rear Axle	134D 4.2-Qt 3.9L Case 1-Qt .9L per hub	134D 1.8-Qt 1.7L
3910	15W-40 7-Qt 6.6L	134D 12-Gal 45.7L 6.2-Gal 23.3L w/IND PTO Add 1.5-Qt 1.4L for FWD	134D 2.5-Gal 9.4L w/8X4 Add 3.3-Qt 3L for Creeper 12.2-Qt 11.5L w/8X2	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
3930	15W-40 7-Qt 6.6L	134D 12-Gal 45.7L w/8X2 8.5-Gal 32.5L w/ 8X8 8.5-Gal 32.5L w/ 16X8 Add 1.5-Qt 1.4L for FWA	134D 3.2-Gal 12L w/8X2 2.5-Gal 9.4L w/8X8 2.2-Gal 8.4L w/16X8 Add 3.3-Qt 3L for creeper	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
4000	15W-40 7.7-Qt 7.3L	134D 8.4-Gal 33L w/ Transmission PTO 8.1-Gal 30.6L w/independent PTO	134D 3.3-Gal 13L 8X2 Trans PTO 4.25-Gal 16L w/ IND PTO 12.3-Qt 11L select-o-speed	—	134D 3-Qt 3L (1965-1968) 2-Qt 2L (1968-1974)
4030	15W-40 8-Qt 7.3L	134D 11.2-Gal 42.2L w/2wd 11.3-Gal 42.7L w/4wd	Included in Rear Axle	134D 4.4-Qt 4.1L Case 2.5-Qt 1.2L per Hub	134D 2-Qt 1.9L
4100	15W-40 7-Qt 6.6L	134D 8.5-Gal 32L	134D 3.5-Gal 13L	—	134D 2-Qt 1.9L
4110	15W-40 7-Qt 6.6L	134D 6.3-Gal 23.8L w/Live PTO 8.1-Gal 30.7L w/ IND PTO 12.1-Gal 45.7L Add 1.5-Qt 1.4L for FWD	134D 3.3-Gal 12.5L w/8X2 live PTO 2.8-Gal 10.4L w/ select-o-speed 3.2-Gal 12L w/ 8X2 IND PTO 2.5-Gal 9.4L w/8X4 Add 3.3-Qt 3L for creeper	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 3-Qt 3L (1965-1968) 2.3-Qt 2.2L (1968-1975)
4200	15W-40 8.5-Qt 8L	134D 8.4-Gal 33L w/ transmission PTO 8.1-Gal 30.6L w/independent PTO	134D 3.3-Gal 13L 8X2 Trans PTO 4.3-Gal 16L w/ IND PTO 3.8-Gal 11L select-o-speed	—	134D 3-Qt 3L (1965-1968) 2-Qt 2L (1968-1974)
4230	15W-40 3.1-Gal 11.7L	134D 11.2-Gal 42.2L w/ 2WD 11.3-Gal 42.7L w/4WD	Included in Rear Axle	134D 4.4-Qt 4.1L Case 2.5-Qt 1.2L per Hub	134D 2-Qt 1.9L
4330V	15W-40 3.1-Gal 11.7L	134D 2WD 8.32-Gal 31.5L 4WD 8.48-Gal 32.1L	Included in Rear Axle	134D Axle 4.4-Qt 4.5L Each Final Drive .4-Qt .5L	134D 1.6-Qt 1.6L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
4430	15W-40 3.1-Gal 11.7L	134D 11.3-Gal 42.7L w/4WD	Included in Rear Axle	134D 4.4-Qt 4.1L Case 2.5-Qt 1.2L per Hub	134D 2-Qt 1.9L
4600	15W-40 7-Qt 6.6L	134D 8.5-Gal 32L	134D 3.5-Gal 13L	134D	134D 2-Qt 1.9L
4610	15W-40 7-Qt 6.6L	134D 12.1-Gal 45.7L	134D 2.5-Gal 9.4L w/8X4 Add 3.3-Qt 3L for Creeper 3.1-Gal 11.5L w/8X2	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
4630	15W-40 7-Qt 6.6L	134D 12-Gal 45.7L w/8X2 8.5-Gal 32.5L w/ 8X8 8.5-Gal 32.5L w/ 16X8 Add 1.5-Qt 1.4L for FWD	134D 3.2-Gal 12L w/8X2 2.5-Gal 9.4L w/8X8 2.2-Gal 8.4L w/16X8 Add 3.3-Qt 3L for creeper	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
4830	15W-4 2.3-Gal 8.5L	134D 12-Gal 45.7L w/ 8X2 8.5-Gal 32.5L w/8X8 & 16X8 Add 1.5-Qt 1.3L for FWD	134D 3.2-Gal 12L w/ 8X2 Add 3.3-Qt 3L for Creeper 2.5-Gal 9.4L w/8X8 2.2-Gal 8.4L w/16X8	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L
4835	15W-40 3.1-Gal 11.7L	134D 12.9-Gal 49L w/synco-reverser 13.1-Gal 55L	Included in Rear Axle	134D Axle 4.8-Qt 4.5L Final Drives (each) .8-Qt .8L	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
5000	15W-40 8-Qt 7.6L	134D 8.7-Gal 32.9L w/IND PTO 9.9-Gal 37.5L w/ 540 PTO w/o Load Monitor, w/o Dual Power 11-Gal 41.6L w/540 PTO w Load Monitor, w/o Dual Power 10.9-Gal 41.3L w/540/1000 PTO w/o Load Monitor, w/o Dual Power 12-Gal 45.4L w/540/1000 PTO w/ Load Monitor, w/o Dual Power 14.5-Gal 54.9L w/ 540 PTO & dual PWR 15.5-Gal 58.7L w/540/1000 PTO & Dual Power	134D 4.8-Gal 18L w/ 8X2 IND PTO 3-Gal 11.4L w/8X2 Live PTO 3-Gal 11.2L w/ select-o-speed	—	134D 2-Qt 1.9L
5030	15W-40 2.3-Gal 8.5L	134D 12-Gal 45.7L w/ 8X2 8.5-Gal 32.5L w/8X8 & 16X8 Add 1.5-Qt 1.3L for FWD	134D 3.2-Gal 12L w/ 8X2 Add 3.3-Qt 3L for creeper 2.5-Gal 9.4L w/8X8 2.2-Gal 8.4L w/ 16X8	134D 5.8-Qt 5.5L Case 1-Qt .9L per Hub	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
5200	15W-40 8-Qt 7.6L	134D 8.7-Gal 32.9L w/IND PTO 9.9-Gal 37.5L w/ 540 PTO w/o Load Monitor, w/o Dual Power 11-Gal 41.6L w/540 PTO w Load Monitor, w/o Dual Power 10.9-Gal 41.3L w/540/1000 PTO w/o Load Monitor, w/o Dual Power 12-Gal 45.4L w/540/1000 PTO w/ Load Monitor, w/o Dual Power 14.5-Gal 54.9L w/ 540 PTO & dual PWR 15.5-Gal 58.7L w/540/1000 PTO & Dual Power	134D 4.8-Gal 18L w/ 8X2 IND PTO 3-Gal 11.4L w/8X2 Live PTO 3-Gal 11.2L w/ select-o-speed	—	134D 2-Qt 1.9L
5530	15W-40 3-Gal 11.7L	134D 10.6-Gal 40L Add .8-Qt .7L for FWD 5.6-Qt 5.3L per Drop Box	Included in Rear Axle	134D 6.4-Qt 6.1L Case 1.3-Qt 1.2L per Hub	134D 1.9-Qt 1.8L
5600 including Blue Power Spc.	15W-40 2.3-Gal 8.5L	134D 10.8-Gal 40.7L w/o Dual Power 14-Gal 53L w/ separate sump add 4-Qt 3.8L for 540/1000 PTO add 3.2-Qt 3L for FWD	134D 3-Gal 11.4L w/o Dual Power	134D 5.5-Qt 5.3L Case .8-Qt .7L per Hub	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
5610S 6610S	15W-40 3-Gal 11.4L	134D 16.3-Gal 62L	Included in Rear Axle	134D Axle 6.3-Qt 6.0L Hubs (each) 1.0-Qt 1.0L	134D 2.3-Qt 2.2L
5610 5610 Special	15W-40 2.3-Gal 8.5L	134D 16.5-Gal 62L Add 4-Qt 3.8L for 540/1000 PTO Add 1.3-Qt 1.2L for FWD	Included in Rear Axle	134D 6.3-Qt 6L Case 1.1-Qt 1L per Hub	134D 2.3-Qt 2.2L
5635	15W-40 3.1-Gal 11.7L	134D 13.1-Gal 55L w/synco-reverser 13.1-Gal 55L	Included in Rear Axle	134D Axle 7.2-Qt 7.0L Final Drives (each) 1.2-Qt 1.3L	—
5640	15W-40 3-Gal 11.4L	134D 17.4-Gal 66L w/8X2 & 16X4 w/2 speed PTO 16.4-Gal 62L w/8X2 & 16X4 w/1 speed PTO 15-Gal 56.8L w/ 12X12 16-Gal 60.6L w/16X16	Included in Rear Axle	134D 6.6-Qt 6.2L Case 3.2-Qt 3L per Hub	Included in Rear Axle
5900	15W-40 2.3-Gal 8.5L	134D 8.7-Gal 32.9L	Included in Rear Axle	—	134D 2.3-Qt 2.2L
6000	15W-40 5-Qt 5L	134D 3-Gal 12L (1961-1967) 14-Gal 53L (1967-) Add 4-Qt 4L for 540/1000 PTO Add 2-Qt 2L for FWD	Included in Rear Axle	—	134D 2-Qt 1.9L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
6000 Commander	15W-40 5-Qt 5L	134D 3.5-Gal 12L w/PTO 3-Gal 12L w/o PTO plus separate reservoir for tractor Hyd. 3.5-Gal 12L	134D 3-Gal 12L	—	—
6530	15W-40 3-Gal 11.7L	134D 10.6-Gal 40L Add .8-Qt .7L for FWD Add 5.6-Qt 5.3L per Drop Box	Included in Rear Axle	134D 6.4-Qt 6.1L Case 1.3-Qt 1.2L per Hub	134D 1.9-Qt 1.8L
6600 6600 Blue PWR Special	15W-40 2.3-Gal 8.5L	134D 14-Gal 53L Add 4-Qt 3.8L for 540/1000 PTO Add 3.2-Qt 3L for FWD	Included in Rear Axle	134D 5.5-Qt 5.3L Case .8-Qt .7L per Hub	134D 2.3-Qt 2.2L (1970-1973) 3.2-Qt 3L (1973-1976)
6610 6610 Special	15W-40 2.3-Gal 8.5L	134D 16.5-Gal 62.5L Add 4-Qt 3.8L for 540/1000 PTO Add 1.3-Qt 1.2L for FWD	Included in Rear Axle	134D 6.3-Qt 6L Case 1.1-Qt 1L per Hub	134D 2.3-Qt 2.2L
6635	15W-40 3.1-Gal 11.7L	134D 13.1-Gal 55L w/synco-reverser 13.1-Gal 55L	Included in Rear Axle	134D Axle 7.2-Qt 7.0L Final Drives (each) 1.2-Qt 1.3L	—
6640	15W-40 3-Gal 11.4L	134D 17.4-Gal 66L w/8X2 & 16X4 w/2 speed PTO 16.4-Gal 62L w/8X2 & 16X4 w/1 speed PTO 15-Gal 56.8L w/ 12X12 16-Gal 60.6L w/16X16	Included in Rear Axle	134D 6.6-Qt 6.2L Case 3.2-Qt 3L per Hub	Included in Rear Axle

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
6700 Also 6700 Blue pwr special	15W-40 2.3-Gal 8.5L	134D 15-Gal 56.8L Add 3.2-Qt 2.2L for FWD	Included in Rear Axle	134D 5.5-Qt 5.3L Case .8-Qt .7L per Hub	134D 2.5-Qt 2.2L
6710	15W-40 2.3-Gal 8.5L	134D 14-Gal 53L add 4-Qt 3.8L for 540/1000 PTO Add 1.9-Qt 1.8L for FWD	Included in Rear Axle	134D 6.5-Qt 6.1L Case .6-Qt .6L per Hub	134D 2.5-Qt 2.2L
7000	15W-40 2.3-Gal 8.5L	134D 13.8-Gal 52L Add 4-Qt 4L for 540/1000 PTO Add 2-Qt 2L for FWD	Included in Rear Axle	—	134D 2.3-Qt 2.2L
7010S	15W-40 3-Gal 11.4L	134D Single PTO 16.3-Gal 62L Two Speed PTO 17.5-Gal 66L	Included in Rear Axle	134D Axle 6.3-Qt 6.0L Hubs (each) 1-Qt 1L	134D 2.2-Qt 2.0L
7530	15W-40 3.6-Gal 13.6L	134D 12.4-Gal 47L Trans. Separate	134D 3.4-Gal 13L	134D 6.4-Qt 6L Case 1.8-Qt 1.7L per Hub	134D 1.8-Qt 1.7L
7600 Also 7600 Blue pwr. Special	15W-40 2.3-Gal 8.5L 2.8-Gal 11L w/ 268 CID	134D 14-Gal 53L Add 4-Qt 3.8L for 540/1000 PTO Add 3.2-Qt 3L for FWD	Included in Rear Axle	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2.3-Qt 2.2L (1970-1973) 3-Qt 3L (1973-1976)
7610S	15W-40 3-Gal 11.4L	134D 17.5-Gal 66L	Included in Rear Axle	134D Axle 6.3-Qt 6L Hubs (each) 1.0-Qt 1L	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
7610	15W-40 2.3-Gal 8.5L	134D 16.5-Gal 62L Add 4-Qt 3.8L for 540/1000 PTO Add 1.3-Qt 1.2L for FWD	Included in Rear Axle	134D 6.3-Qt 6L Case 1.1-Qt 1L per Hub	134D 2.3-Qt 2.2L
7635	15W-40 3.1-Gal 11.7L	134D 13.1-Gal 55L w/synco-reverser 13.1-Gal 55L	Included in Rear Axle	134D Axle 7.2-Qt 7.0L Final Drives (each) 1.2-Qt 1.3L	—
7700 Also 7700 Blue PWR Special	15W-40 2.3-Gal 8.5L	134D 15-Gal 56.8L Add 3.2-Qt 2.2L for FWD	Included in Rear Axle	134D 6.8-Qt 6.5L Case 1.1-Qt 1L per Hub	134D 2.5-Qt 2.4L
7710	15W-40 2.3-Gal 8.5L	134D 17.5-Gal 66L Add 1.3-Qt 1.2L for FWD 16.5-Gal 62.5L Add 4-Qt 3.8L for 540/1000 PTO Add 1.9-Qt 1.8L for FWD	Included in Rear Axle	134D 6.3-Qt 6L Case 1.1-Qt 1L per Hub	134D 2.3-Qt 2.2L
7740	15W-40 3-Gal 11.4L	134D 17.5-Gal 66L w/ 8X2 & 16X4 15-Gal 56.8L w/12X12 16-Gal 60.6L w/16X16	Included in Rear Axle	134D 6.6-Qt 6.2L Case 3.2-Qt 3L	Included in Rear Axle
7810S	15W-40 5.5-Gal 20.9L	134D 17.5-Gal 66L	Included in Rear Axle	134D Axle 6.3-Qt 6L Hubs (each) 1-Qt 1L	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
7810	15W-40 4.7-Gal 17.9L	134D 16.5-Gal 62L Add 4-Qt 4L 540/1000 PTO Add 1.3-Qt 1.2L for FWD	Included in Rear Axle	134D (1982-2/1984) 6.3-Qt 6L Case 1.1-Qt 1L per Hub (3/1984- 1/1987) 11.6-Qt 11L Case 2.3-Qt 2.2L per Hub-(2/1987-) 7.4-Qt 7L Case .8-Qt .7L per Hub	134D 2.5-Qt 2.4L
7840	15W-40 5.5-Gal 20.9L	134D 15-Gal 56.8L w/ 12X12 16-Gal 60.5L w/ 16X16	Included in Rear Axle	134D 6.6-Qt 6.2L Case 3.2-Qt 3L per Hub	—
8000	15W-40 3-Gal 11.4L	134D 10-Gal 38L w/ separate sump for Transmission 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	134D 3-Gal 11.4L w/ separate sump	—	134D 3-Qt 2.8L
8010 Low Profile	15W-40 5.5-Gal 20.9L	134D Single PTO 16.3-Gal 62.0L Two Speed PTO 17.5-Gal 66L	Included in Rear Axle	134D Axle 6.3-Qt 6L Hubs (each) 1-Qt 1L	134D 2.3-Qt 2.2L
8010 Hi-Clear	15W-40 5.5-Gal 20.9L	134D 14.5-Gal 56L Final Reduction 4.8-Qt 4.5L	Included in Rear Axle	134D Axle 6.3-Qt 6L Hubs (each) 1-Qt 1L	134D 2.3-Qt 2.2L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
8160	15W-40 5-Gal 19L	See Trans.	134D Mech. w/OC Hyd. 17.2-Gal 65L w/Hi Lo & OC Hyd. 16.6-Gal 63L w/ Hi Lo & CCLS Hyd 19.2-Gal 73L w/Semi PS & w/ OC Hyd. 21.1-Gal 80L w/ Semi PS & w/ CCLS Hyd. 23.7-Gal 90L	134D Case 2.3-Gal 9L per Hub 1.8-Qt 1.7L	—
8210	15W-40 5-Gal 19L	134D 17.8-Gal 67.2L 15-Gal 56.8L Add 1.9-Qt 1.8L for FWD	Included in Rear Axle	134D (1982-2/1984) 6.3-Qt 6L Case 1.1-Qt 1L per Hub (3/1984-1/1987) 11.6-Qt 11L Case 2.3-Qt 2.2L per Hub (2/1987-) 7.4-Qt 7L Case .8-Qt .7L per Hub	134D 2.5-Qt 2.4L
8240	15W-40 5.5-Gal 20.9L	134D 16-Gal 60.5L w/ 16X16	134D Included in Rear Axle	134D 2.1-Gal 8L Case 2.7-Qt 2.6L per Hub	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
8260	15W-40 5-Gal 19L	See Trans.	134D Mech. w/OC Hyd. 17.2-Gal 65L w/Hi Lo & OC Hyd. 16.6-Gal 63L w/ Hi Lo & CCLS Hyd 19.2-Gal 73L w/Semi PS & w/ OC Hyd. 21.1-Gal 80L w/ Semi PS & w/ CCLS Hyd. 23.7-Gal 90L	134D Case 2.3-Gal 9L per Hub 1.8-Qt 1.7L	—
8340	15W-40 5.5-Gal 20.9L	134D 16-Gal 60.6L	Included in Rear Axle	134D 2.1-Gal 8L Case 2.7-Qt 2.6L per Hub	—
8360	15W-40 5-Gal 19L	See Trans.	134D Mech. w/OC Hyd. 17.2-Gal 65L w/Hi Lo & OC Hyd. 16.6-Gal 63L w/ Hi Lo & CCLS Hyd 19.2-Gal 73L w/Semi PS & w/ OC Hyd. 21.1-Gal 80L w/ Semi PS & w/ CCLS Hyd. 23.7-Gal 90L	134D Case 3.7-Gal 14L per Hub 2.3-Qt 2.15L	—
8530	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L w/ 8X2 20-Gal 74.8L w/8X2 Dual Power Add 5.5-Qt 5.3L for FWD	Included in Rear Axle	134D .85-Qt .8L per Hub 7.9-Qt 7.5L Case, ZF Axle 1.5-Qt 1.4L per Hub 15.5-Qt 14.7L Case, Dana Axle	134D 4-Qt 3.7L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
8560	15W-40 5-Gal 19L	See Trans.	134D Mech. w/OC Hyd. 17.2-Gal 65L w/Hi Lo & OC Hyd. 16.6-Gal 63L w/ Hi Lo & CCLS Hyd 19.2-Gal 73L w/Semi PS & w/ OC Hyd. 21.1-Gal 80L w/ Semi PS & w/ CCLS Hyd. 26.4-Gal 100L	134D Case 3.7-Gal 14L per Hub 2.3-Qt 2.2L	—
8600	15W-40 3-Gal 11.4L	134D 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	Included in Rear Axle	—	134D 3-Qt 2.8L (1968-1976) 4-Qt 4L (1976-)
8630	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L w/ 8X2 20-Gal 74.8L w/ 8X2 Dual Power 25.1-Gal 95L w/ 18X9 Add 5.5-Qt 5.3L for FWD	Included in Rear Axle	134D ZF Axle 1.6-Pt .8L per Hub 7.9-Qt 7.5L Case 80W-90 Dana Axle 1.5-Qt 1.4L per Hub 15.5-Qt 14.7L Case	134D 4-Qt 3.7L
8670	15W-40 5.5-Gal 21L	134D 31-Gal 117L	Included in Rear Axle	80W-90 Axle 3.3-Gal 12.3L Hubs (each) 1.7-Qt 1.6L	—
8670A	15W-40 5.5-Gal 21L	134D 31-Gal 117L	Included in Rear Axle	134D 5.3-Qt 5L per Hub 3.8-Gal 14.5L Case	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
8700	15W-40 3-Gal 11.4L	134D 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	Included in Rear Axle	134D 2.8-Gal 10L	134D 4-Qt 3.7L
8730	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L w/ 8X2 20-Gal 74.8L w/8X2 Dual Power 25.1-Gal 95L w/ 18X9 Add 5.5-Qt 5.3L for FWD	Included in Rear Axle	134D ZF Axle 1.9-Qt 1.8L per Hub 9.5-Qt 9L Case 80W-90 Dana Axle 1.5-Qt 1.4L per Hub 15.5-Qt 14.7L Case	134D 4-Qt 3.7L
8770	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	80W-90 Axle 3.3-Gal 12.3L Hubs (each) 1.4-Qt 1.3L	—
8770A	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	134D 5.3-Qt 5L per Hub 3.8-Gal 14.5L Case	—
8830	15W-40 5-Gal 18.8L	134D 22.9-Gal 87L w/8X2 Dual Power 25.4-Gal 96L w/ 18X9 Add 5.5-Qt 5.2L for FWD	Included in Rear Axle	134D ZF Axle 3.8-Pt 1.8L per Hub 9.5-Qt 9L Case 80W-90 Dana Axle .5-Qt 1.4L per Hub 15.5-Qt 14.7L Case	134D 4-Qt 3.7L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
8870	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	80W-90 Axle 3.3-Gal 12.3L Hubs (each) 1.4-Qt 1.3L	—
8870A	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	134D 5.3-Qt 5L per Hub 3.8-Gal 14.5L Case	—
8970	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	80W-90 Axle 3.3-Gal 12.3L Hubs (each) 1.4-Qt 1.3L	—
8970A	15W-40 5.5-Gal 21L	134D 37-Gal 140L	Included in Rear Axle	134D 5.3-Qt 5L per Hub 3.8-Gal 14.5L Case	—
9000	15W-40 3.5-Gal 13.2L	134D 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	Included in Rear Axle	—	134D 3-Qt 2.8L
9600	15W-40 3.5-Gal 13.2L	134D 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	Included in Rear Axle	—	134D 3-Qt 2.8L (1968-1976) 4-Qt 4L (1976-)
9700	15W-40 3.5-Gal 13.2L	134D 16-Gal 60.6L w/o Dual Power 17.3-Gal 65.3L w/ Dual Power	Included in Rear Axle	134D 2.8-Gal 10L	134D 4-Qt 4L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
FW20	15W-40 7.9-Gal 29.9L	134D 7-Gal 26.4L Center 5-Qt 4.7L per Hub plus Tractor Hyd. Res 25-Gal 94.7L plus Transmission	134D 9.3-Gal 35L	—	—
FW30 FW40 FW60	15W-40 9.4-Gal 35.6L	134D 7-Gal 26.4L Center 5-Qt 4.7L per Hub plus Tractor Hyd. Res 25-Gal 94.7L plus Transmission	134D 9.3-Gal 35L	—	—
TC18	15W-40 2.7-Qt 2.6L	134D 4.3-Gal 16.1L	Included in Rear Axle	134D Axle 1.1-Qt 1L each Hub .4-Qt .4L	134D 1.5-Qt 1.4L only on Hydrostatic model
TC21 TC21D	15W-40 2.7-Qt 2.6L	134D 4.2-Gal 16.1L	Included in Rear Axle	134D Axle 1.1-Qt 1L each Hub .9-Qt .85L	134D 1.5-Qt 1.4L
TC21DA TC24D TC24DA	10W-30 2.9-Qt 2.8L	134D 4.2-Gal 16L	Included in Rear Axle	134D Front Axle Hub Each 85-Qt .8L Differential 1.1-Qt .1L	—
TC25 TC25D TC29 TC29D TC33 TC33D	15W-40 4.2-Qt 4L	134D 8.6-Gal 32.6L	Included in Rear Axle	134D Axle 1.5-Qt 1.4L each Hub .9-Qt .85L	134D 1.5-Qt 1.4L
TC29DA	10W-30 4.2-Qt 4L	134D Gear 8.6-Gal 32.5L HST 8.8-Gal 33.3L	Included in Rear Axle	134D Front Axle 3-Qt 3.2L	134D 1.7-Qt 1.6L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TC30	10W-30 4.2-Qt 4L	134D Gear: 8.6-Gal 32.5L HST: 8.8-Gal 33.3L	Included in Rear Axle	134D Front Axle Hub: .85-Qt .8L Case: 1.5-Qt 1.4L	134D 1.7-Qt 1.6L
TC33DA	10W-30 4.2-Qt 4L	134D Gear 8.6-Gal 32.5L HST 8.8-Gal 33.3L	Included in Rear Axle	134D Front Axle 3-Qt 3.2L	134D 1.7-Qt 1.6L
TC35 TC35D TC40 TC40D TC45 TC45D	15W-40 6.1-Qt 5.8L	134D 9.4-Gal 36L	Included in Rear Axle	134D Axle 5.6-Qt 5.3L	134D 1.5-Qt 1.4L
TC35A TC35DA	10W-30 6.1-Qt 5.8L	134D 9.2-Gal 36L	Included in Rear Axle	134D Front Axle 5.6-Qt 5.3L	134D 1.5-Qt 1.4L
TC40A TC40DA TC45A TC45DA	10W-30 6.3-Qt 6L	134D 9.2-Gal 36L	Included in Rear Axle	134D Front Axle 5.6-Qt 5.3L	134D 1.5-Qt 1.4L
TC48DA TC55DA	10W-30 6.6-Qt 6.3L	134D 11.1-Gal 42L	Included in Rear Axle	134D Front Axle 6.1-Qt 5.8L	134D 1.9-Qt 1.8L
TG210 TG230 TG255 TG285	15W-40 5.5-Gal 21L	Mastertran 45.5-Gal 172L	Included in Rear Axle	85W140 Diff.-10 Bolt Axle 13-Qt 12.3L Diff- 12 Bolt Axle 12.5-Qt 11.8L Diff-Super Steer 14-Qt 13.2L Planetary Each 10 Bolt Axle 1.5-Qt 1.4L 12 Bolt Axle 3.5-Qt 3.3L Differential Oil Change Requires 1-Pt .47L Limited Slip Additive	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TJ275	15W-40 6.3-Gal 24L	Mastertran Total Axle System: Filters, Front/Rear Axle and Reservoir 63-Gal 238L	Transmission w/PTO 13.5-Gal 51.1L w/o PTO 13-Gal 49.2L	Mastertran See Rear Axle	—
TJ325	15W-40 7.3-Gal 28L	Mastertran Total Axle System: Filters, Front/ Rear Axle and Reservoir 63-Gal 238L	Transmission w/PTO 13.5-Gal 51.1L w/o PTO 13-Gal 49.2L	Mastertran See Rear Axle	—
TK75 TK85 TK85M Crawlers	15W-40 3-Gal 11.2L	—	80W-90 Final Drive Each 3.7-Qt 3.5L	134D 10.3-Gal 39L	80W-90 Final Drive Each 3.7-Qt 3.5L
TL70	15W-40 3.1-Gal 11.7L	134D 12.9-Gal 49L	Included in Rear Axle	134D Axle 4.8-Qt 4.5L per Hub .85-Qt .8L	134D 2.1-Qt 2L
TL80 TL90	15W-40 3.1-Gal 11.7L	134D 13.1-Gal 55L	Included in Rear Axle	134D Axle 4.8-Gal 4.5L per Hub .85-Qt .8L	134D 2.1-Qt 2L
TL100	15W-40 3.1-Gal 11.7L	134D 13.1-Gal 55L	Included in Rear Axle	134D Axle 7.4-Qt 7.0L per Hub 1.4-Qt 1.3L	134D 2.1-Qt 2L
TM115	15W-40 5-Gal 19L	134D w/ Synchro Command 17.2-Gal 65L w/ Dual Command 19.3-Gal 73L w/ Range or Pwr Command 23.8-Gal 90L	Included in Rear Axle	134D each hub 1.8-Qt 1.7L Differential 9.5-Qt 9L	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TM125	15W-40 5-Gal 19L	134D w/ Synchro Command 17.2-Gal 65L w/ Dual Command 19.3-Gal 73L w/ Range or Pwr Command 23.8-Gal 90L	Included in Rear Axle	134D each hub 1.8-Qt 1.7L Differential 9.5-Qt 9L	—
TM120 TM130 TM140	15W-40 20-Qt 19L	134D w/ Dual Command 19.3-Gal 73L w/Range or Power Command 23.8-Gal 90L	Included in Rear Axle	134D Hubs Each 1.8-Qt 1.7L Differential 9.5-Qt 9L	—
TM135	15W-40 5-Gal 19L	134D w/ Dual Command 19.3-Gal 73L w/ Range or Pwr Command 23.8-Gal 90L	Included in Rear Axle	134D each hub 1.8-Qt 1.7L Differential 9.5-Qt 9L	—
TM150	15W-40 5-Gal 19L	134D w/ Range or Pwr Command 23.8-Gal 90L	Included in Rear Axle	134D each hub 2.2-Qt 2.1L Differential 14.8-Qt 14L	—
TM155	15W-40 20-Qt 19L	134D w/Range or Power Command 23.8-Gal 90L	Included in Rear Axle	134D Hubs Each 2.2-Qt 2.1L Differential 14.8-Qt 14L	—
TM165	15W-40 5-Gal 19L	134D w/ Range or Pwr Command 26.8-Gal 100L	Included in Rear Axle	134D each hub 2.2-Qt 2.1L Differential 14.8-Qt 14L	—
TM175 TM190	15W-40 20-Qt 19L	134D w/Range or Power Command 26.4-Gal 100L	Included in Rear Axle	134D Hubs Each 2.2-Qt 2.1L Differential 14.8-Qt 14L	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TN55D,S	15W-40 8-Qt 7.5L	134D 11.1-Gal 42L	Included in Rear Axle	134D Case 4.8-Qt 4.5L Final Dr. w/o Brakes .9-Qt .8L Final Dr. w/ Brakes 1.4-Qt 1.3L	—
TN65D,S,F,S TN70A,D,DA,F,S,SA TN75A,D,DA,F,FA,S, SA	15W-40 8-Qt 7.5L	134D 11.1-Gal 42L	Included in Rear Axle	134D Case 4.8-Qt 4.5L Final Dr. w/o Brakes 1.1-Qt 1L Final Dr. w/ Brakes 1.6-Qt 1.5L	—
TN65F TN70F TN75F TN80F TN90F TN95F	15W-40 2.8-Gal 10.5L	134D 11.6-Gal 44L w/Power Shuttle 14.5-Gal 55L	Included in Rear Axle	134D Case 3.2-Qt 2.8L Final Dr. w/o Brakes 1.1-Qt 1L Final Dr. w/ Brakes 1.9-Qt 1.8L	—
TN65V TN75V	15W-40 8-Qt 7.5L	134D 11.6-Gal 44L	Included in Rear Axle	134D Case 4.2-Qt 4L Final Dr. w/ Brakes .6-Qt .6L	—
TS90 TS100 TS110	15W-40 12-QT 11.4L	134D 8x2, 16x4 17.4-Gal 66L 12x12, 24x24 15-Gal 56.8L 16x16 16-Gal 60.6L	Included in Rear Axle	134D each Hub 3.2-Qt 3L Axle 6.6-Qt 6.2L	—
TS100A	15W-40 10.6-Qt 10L	134D 12x12 17-Gal 65L 16x16 16-Gal 62L 24x24 17-Gal 65.5L	Included in Rear Axle	134D Hubs Each w/o brakes 1.3-Qt 1.25L w/ brakes 3.2-Qt 3L Differential 7.9-Qt 7.5L	—

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TS115A	15W-40 15.9-Qt 15L	134D 12x12 17-Gal 65L 16x16 16-Gal 62L 24x24 17-Gal 65.5L	Included in Rear Axle	134D Hubs Each w/o brakes 1.3-Qt 1.3L w/ brakes 3.2-Qt 3L Differential 7.9-Qt 7.5L	—
TS125A TS135A	15W-40 15.9-Qt 15L	134D 16x16 16-Gal 62L 24x24 17-Gal 65.5L	Included in Rear Axle	134D Hubs Each w/o brakes 1.3-Qt 1.25L w/ brakes 3.2-Qt 3L Differential 9.5-Qt 9L	—
TW5	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L Add 6-Qt 5.7L for dual Power Add 5.5-Qt 5.2L for FWD	Included in Rear Axle	134D 1.7-Pt .8L per Hub 7.9-Qt 7.5L Case	134D 4-Qt 3.7L
TW10	15W-40 5-Gal 18.8L	134D 16-Gal 61L (1969-1982) 18.3-Gal 70L (1982-1988) Add 6-Qt 6L for Dual Power Add 3-Qt 3L for FWD	Included in Rear Axle	134D 1.7-Pt .8L per Hub 8.5-Qt 8L Case	134D 4-Qt 3.7L
TW15	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L Add 6-Qt 5.7L for dual Power Add 5.5-Qt 5.2L for FWD	Included in Rear Axle	134D 1.7-Pt .8L per Hub 7.9-Qt 7.5L Case	134D 4-Qt 3.7L

Lubricants

Model	Engine	Rear Axle & Transmission (Includes Tractor Hydraulics)	Transmission (If Separate)	Front Axle, Hubs and Differential Each-FWD Only	Power Steering
TRACTORS – AG & COMPACT — NEW HOLLAND					
TW20	15W-40 5-Gal 18.8L	134D 16-Gal 61L (1969-1982) 18.25-Gal 70L (1982-1988) add 6-Qt 6L for Dual Power Add 3-Qt 3L for FWD	Included in Rear Axle	134D 1.7-Pt .8L per Hub 8.5-Qt 8L Case	134D 4-Qt 3.7L
TW25	15W-40 5-Gal 18.8L	134D 18.2-Gal 69.1L Add 6-Qt 5.7L for dual Power Add 5.5-Qt 5.2L for FWD	Included in Rear Axle	134D 3.8-Pt 1.8L per Hub 9.5-Qt 9L Case	134D 4-Qt 3.7L
TW30	15W-40 5-Gal 18.8L	134D 20-Gal 76L (1979) 23-Gal 88L (1980-1988) Add 3-Qt 3L for FWD	Included in Rear Axle	134D 3.2-Pt 1.5L per Hub 7.9-Qt 7.5L Case	134D 4-Qt 3.7L
TW35	15W-40 5-Gal 18.8L	134D 22.9-Gal 87L Add 5.5-Qt 5.2L for FWD	Included in Rear Axle	134D 3.8-Pt 1.8L per Hub 9.5-Qt 9L Case	134D 4-Qt 3.7L
TZ18DA TZ24DA	10W-30 4.24-Qt 4L	134D 13.8-Qt 13L	Included in Rear Axle	134D 2.12-Qt 2L	—

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
300	15W-40 6-Gal 22.7L	134D 12-Gal 45.5L	134D 4.8-Gal 18L	85W-140 8-Qt 7.6L	134D 5-Qt 4.7L
500	15W-40 (1977-1978) 6-Gal 22.7L (1979) 7-Gal 26.5L	134D (1977) 15.5-Gal 59.1L (1978-1979) 12-Gal 45.5L	134D (1977-1978) 6-Gal 22.7L (1979) 6.5-Gal 24.6L	85W-140 (1977) 9.5-Gal 36L (O) (1978) 4.8-Gal 18L (O) (1979) 7-Gal 26.5L (O)	134D (1977-1979) 4-Qt 3.8L
555	15W-40 (1980) 8.5-Gal 32L (1981-1984) 6.3-Gal 23.8L	134D 14-Gal 54.3L	134D 6.5-Gal 24.6L	85W-140 7-Gal 26.5L (O)	134D 5-Qt 4.7L
700	15W-40 6.5-Gal 24.6L	134D (1971-1972) 23.75-Gal 90L (1973-1977) 18.6-Gal 70.5L	134D 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
750	15W-40 10.3-Gal 38.8L	134D 18.6-Gal 70.5L	134D 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
756	15W-40 5-Gal 18.9L	134D 15.3-Gal 58L	134D 12X4 5.4-Gal 20.3L 15X5 6.1-Gal 23.6L Hydrodex 3 ATF PowerShift 7.5-Gal 28.5L	85W-140 10.3-Gal 38.8L (O) 7.7-Gal 30L (I) For ZF Axle add .05-Oz 30ML of 9706315DS per Qt of Gear Lube	134D 3.6-Qt 3.4L
800	15W-40 10.3-Gal 38.8L	134D (1975-1977) 18.6-Gal 70.5L (1973-1974) 23.8-Gal 90L	134D 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
825	15W-40 10.3-Gal 38.8L	134D 18.6-Gal 70.5L	134D 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
835	15W-40 (1980-1984) 8.8-Gal 33.1L (1978-1979) 10.3-Gal 38.8L	134D (1981-1982) 21-Gal 79.5L (1978-1979,1983) 18.6-Gal 70.5L	134D 12X4 w/o PTO 5.4-Gal 20.5L 12X4 w PTO 9-Gal 34L	85W-140 (1980-1984) 10.3-Gal 38.5L (O) (1978-1979) 9.5-Gal 36L (O)	Lube From Transmission

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
836	15W-40 10-Gal 37.8L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L 15X5 6.3-Gal 23.6L Hydrodex 3 ATF Powershift 7.5-Gal 28.5L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I) For ZF Axle add .05-Oz 30ML of 9706315DS per Qt of Gear Lube Plus 2.5-Gal 9.5L if filter and lines emptied	134D 3.6-Qt 3.4L
846	15W-40 s/n D430860 & Below 10-Gal 37.8L s/n D430861 & Up 9-Gal 34L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L 15X5 6.3-Gal 23.6L Hydrodex 3 ATF Powershift 4.5-Gal 17L Plus 2.5-Gal 9.5L if filter and lines emptied	85W-140 10.35-Gal 39.2L (O) 7.3-Gal 27.6L (I) For ZF Axle add .05-Oz 30ML of 9706315DS per Qt of Gear Lube Plus 2.5-Gal 9.5L if filter and lines emptied	134D 3.6-Qt 3.4L
850	15W-40 10.3-Gal 38.8L	134D (1975-1977) 18.6-Gal 70.5L (1973-1974) 23.8-Gal 90L	134D 12X4 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
855	15W-40 (1981) 8.8-Gal 33.1L (1978-1979,1983) 10.3-Gal 38.8L	134D (1982) 21-Gal 79.5L (1978-1979) 18.6-Gal 70.5L	134D 12X4 w/o PTO 5.4-Gal 20.5L 12X4 w PTO 9-Gal 34L	85W-140 10.3-Gal 38.5L	Lube From Transmission
856	15W-40 10-Gal 37.8L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L 15X5 6.3-Gal 23.6L Hydrodex 3 ATF Powershift 4.5-Gal 17L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I) For ZF Axle add .05-Oz 30ML of 9706315DS per Qt of Gear Lube Plus 2.5-Gal 9.5L if Filter and Lines Emptied	134D 3.6-Qt 3.4L

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
875	15W-40 (1981) 8.8-Gal 33.1L (1978-1979,1983) 10.3-Gal 38.8L	134D (1981) 21-Gal 79.5L (1978-1979) 18.6-Gal 70.5L	134D 12X4 w/o PTO 5.4-Gal 20.5L 12X4 w PTO 9-Gal 34L	85W-140 10.3-Gal 38.5L (O)	Lube From Transmission
876	15W-40 s/n D430860 & Below 10-Gal 37.8L s/n D430861 & Up 9-Gal 34L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L Hydrodex 3 ATF Powershift 4.5-Gal 17L 2.5-Gal 9.5L if filter and lines emptied 10-Gal 37.8L (1987 +)	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I)	134D (1985-1988) 3.6-Qt 3.4L (1989 +) 8-Qt 7.6L
895	15W-40 (1980) 10.3-Gal 38L (1981) 8.5-Gal 32.2L (1983) 7-Gal 26.5L	134D 21-Gal 79.5L	134D 12X4 w/o PTO 5.4-Gal 20.5L 12X4 w PTO 9-Gal 34L	85W-140 10.3-Gal 38.5L (O)	Lube From Transmission
900	15W-40 (1977-1980) 8.5-Gal 32.2L (1981 +) 6.5-Gal 25L	134D (1977-1980) 18.6-Gal 70.5L (1981 +) 23.8-Gal 90L	134D 5.4-Gal 20.3L	85W-140 7-Gal 26.5L (O)	—
935	15W-40 (1978-1980) 8.5-Gal 32.2L (1981) 6.5-Gal 25L	134D (1977-1980) 18.6-Gal 70.5L (1981 +) 21-Gal 79.5L	134D (1978-1979) 12X4 w/o PTO 5.4-Gal 20.3L (1979-1982) 12X4 w PTO 9-Gal 34L	85W-140 10.3-Gal 38.5L (O)	Lube From Transmission
936	15W-40 11-Gal 41.6L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L Powershift 10-Gal 37.8L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I)	134D 8-Qt 7.6L

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
945	15W-40 10.3-Gal 38L	134D 21-Gal 79.5L	134D 12X4 w/o PTO 5.4-Gal 20.3L Powershift 10-Gal 37.8L	85W-140 10.3-Gal 38.5L (O)	—
946	15W-40 11-Gal 41.6L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L Powershift 10-Gal 37.8L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I)	134D 8-Qt 7.6L
950	15W-40 (1977-1980) 8.5-Gal 32.2L (1981 +) 6.5-Gal 25L	134D (1977-1980) 18.6-Gal 70.5L (1981 +) 21-Gal 79.5L	134D (1977-1982) 12X4 w/o PTO 5.4-Gal 20.5L (1979-1982) 12X4 w PTO 9-Gal 34L	85W-140 10.3-Gal 38.6L (O)	Lube From Transmission
955	15W-40 7-Gal 26.5L	134D 21-Gal 79.5L	134D 12X4 w/o PTO 5.4-Gal 20.5L Powershift 12.5-Gal 47.3L	85W-140 10.3-Gal 38.6L (O)	—
956	15W-40 11-Gal 41.6L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L Powershift 10-Gal 37.8L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I)	134D 8-Qt 7.6L
975	15W-40 10.4-Gal 38.5L	134D 21-Gal 79.5L	134D 12X4 w/o PTO 5.4-Gal 20.3L Powershift 12.5-Gal 47.3L	85W-140 10.3-Gal 38.5L (O)	—
976	15W-40 11-Gal 41.6L	134D 15-Gal 56.8L	134D 12X4 5.4-Gal 20.3L Powershift 10-Gal 37.8L	85W-140 10.4-Gal 39.2L (O) 7.3-Gal 27.6L (I)	134D 8-Qt 7.6L
1150	15W-40 (1981-1983) 15.5-Gal 58.7L (1984) 10-Gal 38L	134D w/mech trans 25-Gal 94.5L w/ powershift 22-Gal 83L	134D 8X4 Mech 4.8-Gal 18.5L powershift 18-Gal 68.2L	85W-140 15.7-Gal 59.4L Includes Both Planetaries	—

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
1156	15W-40 11-Gal 41.6L	134D 25-Gal 94.6L	134D 5-Gal 18.9L	85W-140 15.7-Gal 59.4L Includes Both Planetaries	—
9184	15W-40 5.7-Gal 21.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO: 10-Gal 37.9L w/ PTO: 11-Gal 41.6L	85W-140 Differential Each: 8.7-Gal 32.9L Hubs Each: 8-Qt 7.6L Total Axle Each: 12.7-Gal 48L	—
9280	15W-40 9-Gal 34L	134D Reservoir 20-Gal 76L w/o 3 pt 29-Gal 110L w/ 3 pt hitch 31-Gal 117L	134D w/o pto 10-Gal 38L w/ pto 11-Gal 41.4L	134D 12.8-Gal 48L	—
9282	15W-40 5.7-Gal 21.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO: 10-Gal 37.9L w/ PTO: 11-Gal 41.6L	85W-140 Differential Each: 8.7-Gal 32.9L Hubs Each: 8-Qt 7.6L Total Axle Each: 12.7-Gal 48L	—
9384	15W-40 9.7-Gal 36.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO QS Trans. 10-Gal 37.9L PS Trans. 12.5-Gal 47.4L w/ PTO QS Trans. 11-Gal 41.6L PS Trans. 13.5-Gal 51.2L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 8-Qt 7.6L HD Hubs Each 3.2-Gal 12L Total Axle Each: 11.1-Gal 42L Total HD Axle Each: 13.5-Gal 51L	—

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
9480	15W-40 9.5-Gal 36L	134D Reservoir 20-Gal 76L w/o 3 pt hitch 29-Gal 110L w/ 3 pt hitch 31-Gal 117L	134D w/o pto QS Trans 10-Gal 38L PS Trans 12.5-Gal 47L w/ PTO QS Trans 11-Gal 41.5L PS Trans 13.5-Gal 51L	134D QS Trans 12.8-Gal 48L PS Trans 11.1-Gal 42L	—
9482	15W-40 9.7-Gal 36.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO QS Trans. 10-Gal 37.9L PS Trans. 12.5-Gal 47.4L w/ PTO QS Trans. 11-Gal 41.6L PS Trans. 13.5-Gal 51.2L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 8-Qt 7.6L Total Axle Each: 11.1-Gal 42L	—
9484	15W-40 9.7-Gal 36.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO QS Trans. 10-Gal 37.9L PS Trans. 12.5-Gal 47.4L w/ PTO QS Trans. 11-Gal 41.6L PS Trans. 13.5-Gal 51.2L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 8-Qt 7.6L HD Hubs Each 3.2-Gal 12L Total Axle Each: 11.1-Gal 42L Total HD Axle Each: 13.5-Gal 51L	—
9680	15W-40 9.5-Gal 36L	134D Reservoir 20-Gal 76L w/o 3 pt hitch 29-Gal 110L w/ 3 pt hitch 31-Gal 117L	134D w/o pto QS Trans 10-Gal 38L PS Trans 12.5-Gal 47L w/ PTO QS Trans 11-Gal 41.5L PS Trans 13.5-Gal 51L	134D QS Trans 12.8-Gal 48L PS Trans 11.1-Gal 42L HD Axle 13.5-Gal 51L	—

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
9682	15W-40 10.2-Gal 38.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO QS Trans. 10-Gal 37.9L PS Trans. 12.5-Gal 47.4L w/ PTO QS Trans. 11-Gal 41.6L PS Trans. 13.5-Gal 51.2L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 8-Qt 7.6L HD Hubs Each 3.2-Gal 12L Total Axle Each: 11.1-Gal 42L Total HD Axle Each: 13.5-Gal 51L	—
9684	15W-40 10.2-Gal 38.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO QS Trans. 10-Gal 37.9L PS Trans. 12.5-Gal 47.4L w/ PTO QS Trans. 11-Gal 41.6L PS Trans. 13.5-Gal 51.2L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 8-Qt 7.6L HD Hubs Each 3.2-Gal 12L Total Axle Each: 11.1-Gal 42L Total HD Axle Each: 13.5-Gal 51L	—
9880	15W-40 9.5-Gal 36L	134D Reservoir 20-Gal 76L w/o 3 pt hitch 29-Gal 110L w/ 3 pt hitch 31-Gal 117L	134D QS Trans 10-Gal 38L	134D HD Axle 13.5-Gal 51L	—
9882	15W-40 10.2-Gal 38.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D 10-Gal 37.9L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 3.2-Gal 12L Total Axle Each: 13.5-Gal 51L	—
9884	15W-40 10.2-Gal 38.7L	134D Hyd. Reservoir: 20-Gal 75.7L Total w/o 3 Point Hitch 31-Gal 117L Total w/ 3 Point Hitch 33-Gal 123.7L	134D w/o PTO: 10-Gal 37.9L w/ PTO: 11-Gal 41.6L	85W-140 Differential Each: 7.1-Gal 26.9L Hubs Each: 3.2-Gal 12L Total Axle Each: 13.5-Gal 51L	—

Lubricants

Model	Engine	Rear Axle (includes Hyd.)	Transmission	Axle Diff and I/O Plantaries	PTO Drop Box
TRACTORS – AG & COMPACT — VERSATILE					
D118	15W-40 6-Gal 22.7L	134D 7.2-Gal 27.3L	134D 9X3 7.2-Gal 27.3L	85W-140 6.9-Gal 26.2L (O) Each	134D 5-Qt 4.7L
D145	15W-40 6.6-Gal 25L	134D 7.2-Gal 27.3L	134D 9X3 7.2-Gal 27.3L	85W-140 6.9-Gal 26.2L (O) Each	134D 5-Qt 4.7L
G125	15W-40 8.4-Gal 31.8L	134D 7.2-Gal 27.3L	134D 9X3 7.2-Gal 27.3L	85W-140 6.9-Gal 26.2L (O) Each	134D 5-Qt 4.7L

Lubricants

Model	Engine	Trans.	Hyd.	Drop Axle	Differential Case	PTO Drop Box	PTO Splitter Box	PTO Transfer Case
TRACTORS – AG & COMPACT — BIDIRECTIONAL TRACTORS								
150	15W-40 8.5-Qt 8L	134D 7.2-Qt 6.8L	134D 10-Gal 38L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L	134D 2.4-Qt 2.3L	—	—
160	15W-40 7.5-Qt 7.1L	134D 7.2-Qt 6.8L	134D 10-Gal 38L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L	134D 2.4-Qt 2.3L	—	—
256	15W-40 (1983) 2.5-Gal 9.5L (1984-1986) 2.8-Gal 10.4L	134D 2.3-Gal 8.7L	134D 8.5-Gal 32L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L	134D 2-Qt 1.9L	134D 2.25-Gal 8.7L	—
276 (1985- 1986)	15W-40 2.8-Gal 10.4L	134D 2.3-Gal 8.7L	134D 8.5-Gal 32L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L	134D 2-Qt 1.9L	134D 3-Qt 3L	134D 1.6-Qt 1.5L
276II (1987- 1988)	15W-40 2.8-Gal 10.4L	134D 2.3-Gal 8.7L	134D 8.5-Gal 32L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L	134D 2-Qt 1.9L	134D 3-Qt 3L	134D 1.6-Qt 1.5L
276II (1989- 1990)	15W-40 3.8-Gal 14.2L	134D 2.3-Gal 8.7L	134D 8.5-Gal 32L	80W-90 1.8-Qt 1.7L	80W-90 2.4-Qt 2.3L w/ Powr-Lok add 4-Oz of LS Additive	134D 2-Qt 1.9L	134D 3-Qt 3L	134D 1.6-Qt 1.5L
9030	15W-40 3.8-Gal 14.2L	134D 7.5-Qt 7.3L	134D 8.5-Gal 32L	80W-90 1.8-Qt 1.7L	80W-90 1.9-Qt 1.8L per Tube 2.9-Qt 2.7L Case w/Powr- Lok add 10-Oz LS Additive	134D 2-Qt 1.9L	134D 2-Qt 2L	134D 1.6-Qt 1.5L
TV140 TV145	15W-40 5-Gal 19L	Included In Hydraulics	134D 13.5-Gal 51L	—	134D 6.6-Gal 25L	—	—	—

Lubricants

Model	Engine	Rear Axle	Transmission	Hydraulic	Power Steering
TRACTORS – AG & COMPACT — PRE-1965 TRACTORS					
Fordson Major 1953-1961	15W-4 8-Qt 7L	134D 11-Gal 42L including Hyd.	134D 5.5-Gal 21L	134D 8-Qt 8L	134D 1.5-Qt 1.5L
Fordson Power Major 1953-1961	15W-40 8-Qt 7L	134D 11-Gal 42L including Hyd.	134D 5.5-Gal 21L	134D 8-Qt 8L	134D 1.5-Qt 1.5L
Fordson Super Major 1961-1964	15W-40 8-Qt 7L	134D 11-Gal 42L including Hyd.	134D 5.5-Gal 21L	134D 8-Qt 8L	134D 2-Qt 2L
Dexta 1958-1961	15W-40 8-Qt 8L	134D 5-Gal 19L including Hyd.	134D 8-Qt 8L	134D 8-Qt 8L	—
NAA/ Jubilee 1952-1954	15W-40 6-Qt 6L	134D 2.3-Gal 9L	134D 5-Qt 5L Add 1-Qt 1L for O/U Transmission	80W-90 8-Qt 8L	134D .5-Qt .5L
Super Dexta 1962-1964	15W-40 8-Qt 8L	134D 5-Gal 19L including Hyd.	134D 8-Qt 8L	134D 8-Qt 8L	—
2N 1942-1947	15W-40 6-Qt 6L	134D 5-Gal 19L Add 1-Qt 1L for O/U Transmission	Included in Rear Axle	Included in Rear Axle	—
8N 1948-1952	15W-40 6-Qt 6L	134D 5-Gal 19L Add 1-Qt 1L for O/U Transmission	Included in Rear Axle	Included in Rear Axle	—
9N 1939-1947	15W-40 6-Qt 6L	134D 5-Gal 19L Add 1-Qt 1L for O/U Transmission	Included in Rear Axle	Included in Rear Axle	—
501 1957-1961	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U Transmission	134D 8-Qt 8L	134D 2-Qt 2L
600 1954-1957	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L

Lubricants

Model	Engine	Rear Axle	Transmission	Hydraulic	Power Steering
TRACTORS – AG & COMPACT — PRE-1965 TRACTORS					
601 1957-1961	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L
700 1954-1957	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L
701 1957-1961	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L
800 1954-1957	15W-40 5-Qt 5L	134D 12-Qt 12L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L
801 1957-1961	15W-40 5-Qt 5L	134D 3-Gal 12L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L
900 1954-1957 901 1957-1961	15W-40 5-Qt 5L	134D 8-Qt 8L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L

Lubricants

Model	Engine	Rear Axle	Transmission	Hydraulic	Power Steering
TRACTORS – AG & COMPACT — PRE-1965 TRACTORS					
1800 1957-1959	15W-40 5-Qt 5L	134 3-Gal 12L	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 3-Qt 3L
1801 1960-1964	15W-40 5-Qt 5L	—	—	—	134D 3-Qt 3L
2000 1953-1964	15W-40 5-Qt 5L	134D 8-Qt 8L (AP/RC) 3-Gal 12L (IND)	134D 6-Qt 6L Add 1-Qt 1L for O/U	134D 8-Qt 8L	134D 2-Qt 2L (AP/RC) 3-Qt 3L (IND)
4000 1960-1964	15W-40 5-Qt 5L	134D 8-Qt 8L (RC) 3-Gal 12L (AP/IND)	134D 6-Qt 6L w/4 or 5 speed Add 1-Qt 1L for O/U 3-Gal 12L w/ select-o-speed	134D 8-Qt 8L	134D 2-Qt 2L (RC) 3-Qt 3L (IND)

Lubricants

Model	Engine
BSD ENGINES	
BSD329 175-CID NON-CURRENT	15W-40 7-Qt 6.6L
BSD332 192-CID	15W-40 7-Qt 6.6L
BSD333 201-CID	15W-40 7-Qt 6.6L
BSD333H 201-CID	15W-40 7-Qt 6.6L
BSD442 256-CID	15W-40 9-Qt 8.5L
BSD444 268-CID	15W-40 9-Qt 8.5L
BSD444T 268-CID	15W-40 9-Qt 8.5L
BSD444TS 268-CID	15W-40 9-Qt 8.5L
BSD666 401-CID	15W-40 20-Qt 19L
BSD666T 401-CID	15W-40 20-Qt 19L
BSD666T1 401-CID	15W-40 20-Qt 19L

Fax omissions/suggested corrections to (262) 636-0480.